

PRODUCT CATALOGUE 12V

PRODUCT CATALOGUE 12V



Content



general notes

04 preface introduction

08 the system

11 installation regulation



lamps

18 rear lamps

57 position lamps

71 side marker lamps

79 number plate lamps

82 number plate pads

83 end outline marker lamps

92 direction indicator

98 reversing lamp/
fog lamp

101 reversing lamps

102 reversing lights

104 work lamps

105 reversing lamps / work
lamps

108 rotating lamps

109 cable lamps

110 additional brake lights

112 interior lamps



cables

118 main cables

124 various cables

125 cables sold by the meter



connection elements

130 plugs

133 sockets

135 adapters

136 couplings

137 bayonet connectors



reflectors

142 reflectors



various

146 LCG

150 Smartlink/voltage divider

151 signal plates

153 junction box/lamps



connection diagrams/ attachments

156 connection
diagramm DIN/ISO

156 connection
diagramm others

157 approval numbers

158 part numbers overview

NPL - number plate lamp

RL - reversing light

FL - fog lamp

Aspöck Systems

Aspöck Systems – we bring light to the road

At Aspöck Systems we have made it our business to design, develop and build the best possible total solutions for Europe's vehicle manufacturers. And here we mean the complete range of vehicles.

Individual systems - Satisfied customers. Since their inception in 1977, Aspöck Systems GmbH has focused on a philosophy that has made it one of today's leading producers of lighting systems for the vehicle industry: developing custom-tailored solutions for each individual customer. This is the flexibility that has become the successful trademark of Aspöck Systems.

Innovative products. We see it as our obligation to make our entire range of cable and light systems compatible with the state-of-the-art, and play a pioneering role in setting new standards. We apply waterproof cables, connection systems and LED lighting to every field of application.

Continuous growth. Our headquarter in Peuerbach, Upper Austria has undergone continuous expansion in the production, storage and management sectors. Every year we invest in new production facilities, testing equipment and development systems to remain at the cutting edge of technology. At the same time we promote the further education and training of our employees, so that they always have the right answer when confronted with difficult questions, such as specific legislation issues.



Aspöck Systems GmbH

Subsidiaries.

A perfectly organised sales and service network throughout Europe guarantees short delivery times and a high degree of technical expertise. Many of the sales and service centres are our own subsidiaries, or those of sales partners.

[Click here for the video >>](#)



Milestones

'77

Aspöck company founded as manufacturer of lighting systems for agricultural vehicles.

'81

First production workshop opens in Peuerbach

'82

First Aspöck connector system developed;

new customers: car trailer manufacturers

'88

Formation of Aspöck Germany

'91

New customers: caravan manufacturers

'92

New customers: truck trailer manufacturers

New customers: car manufacturers

'06

New customers: motorcycle manufacturers
Take-over Fabrilcar

'07

Renaming Fabrilcar as Aspöck Portugal

'08

Implementing of the fully automated high rack ware-house in Peuerbach

'09

Extension of the manufacturing base location: Portugal

'11

Formation of Aspöck Poland

'12

„Europoint III“
The first lamp with a „Light Guide“ for trailers

Formation of Aspöck Turkiye

'13

'96

First Aspöck „Multipoint“ light produced

'97

New customers: bicycle carrier rack manufacturers

'99

Formation of Aspöck Iberica and

'01

Formation of Aspöck UK

Formation of Aspöck France

Formation of Aspöck do Brasil

'03

Partnership PAGG Aspöck

'04

Introduce moulding technology to connector systems

'05

Formation of Aspöck Norden

New customers: truck manufacturers

Extension of the manufacturing base location: Portugal

'15

Opening of new manufacturing base location: Poland

'16

New building for office and logistics location: France

'17

New building location: Peuerbach

New tail light: ECOLED II

Aspöck LumEU - LED-Stripes for the non-automotive sector

'18

AgriLED I & AgriLED II first Aspöck rear lamps especially for the agricultural market

'20


Expansion of goods receiving and picking warehouse location: Peuerbach

'22

The System

DC System (double click)

- Useable for all types of one-function-lights
- Absolutely water tight through silicon seal on each conductor




Usage:



Put the flat-cable (2 x 0.75 mm²) in to the DC connector and press them by hand together.



Press together with level 1 of the DC-tool/plier „ASPÖCK“.



Repeat this process for the second connection on level 2 of the DC tool.

Please notice the two various „click-levels“ of the DC-tool/plier.

ARTICLE LIST



DESCRIPTION

DC tool/plier „Aspöck“

ORDER NUMBER

10-0100-537



conductor rail DC appr. 5000 m on cable drum
 conductor rail DC 100 m on coil
 conductor rail DC 200 m on coil
 conductor rail DC 25 m loose

17-7200-007

17-7200-067

17-7200-077

17-7200-057



DC end caps (fixation with cable tie)





15-5974-007




DC connector inkl. cover

15-5976-017

Example for DC wiring:





Press & Ready System (P&R)

- Useable for all types of one-function-lights
- Absolutely water tight through silicon seal on each conductor



Put the flatcable (2 x 1.5 mm²) into the P&R connector. Put on the P&R cover.




Press together with the „ASPÖCK“ tool/plier – ready.

Details on request.

Here ist the video tutorial >>




Connector-System



Details on request.

Legal Installation Regulations for Trailers in Accordance with ECE Regulation No R-48



FRONT

1. Front end-outline marker lamp*

Installation:	Mandatory for trailers > 2.1 m wide, Permitted for trailers > 1.8 m to < 2.1 m wide.
Number:	2
Colour:	White
Installation height:	As high as possible.
Spacing:	Mount as far apart as possible to a max. of 400 mm from the furthest point of the vehicle's width.
Geom. angle of visibility:	Horizontally 80° outwards, vertically 5° above and 20° below the horizontal.
Other regulations:	Any front position (side) lamp or reflex reflector may be installed. Additional reflex reflectors are permissible.

*End-outline marker lamps: special regulation for trailers with canopy: On a trailer with a canopy the end-outline marker lamp can only be installed at the bottom. The front white and rear red end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with.

2. Front reflex reflector

Installation:	Mandatory for all trailers.
Number:	2
Colour:	White
Shape:	Not triangular
Installation height:	At least 250 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	There should be a max. of 150 mm and a min. of 600 mm between both reflectors, but at least 400 mm for vehicles with a width of < 1.300 mm.
Geom. angle of visibility:	Horizontally 10° inwards and 30° outwards, vertically ± 10°, but 5° downwards if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the front position (side) lamp. The installation height of the reflector must be taken into account.

3. Front position (side) lamp

Installation:	Mandatory for trailers > 1.6 m wide, permitted for trailers ≤ 1.6 m wide.
Number:	2
Colour:	White
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2,100 mm on trailers of the categories O1 and O2 only or on other trailers where a max. of 1.500 mm is not possible).
Spacing:	A max. of 150 mm from the furthest point of the vehicle's width, with a min. of 600 mm between both front position lamps, but of at least 400 mm on vehicles with a width of < 1.300 mm.
Geom. angle of visibility:	Horizontally 5° inwards and 80° outwards. Vertically ± 15°, but also 5° downward if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the front position (side) lamp. The installation height of the reflector must be taken into account.

SIDE

4. Side reflex reflector

Installation:	Mandatory for all trailers.
Number:	At least one in the middle third.
Colour:	Yellow
Installation height:	At least 250 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	No more than 3 m from front (including drawbar); no more than 1 m from rear, no more than 3 m between each reflector (exception: 4 m).
Geom. angle of visibility:	Horizontally ± 45°, vertically ± 10°, but 5° downwards if installation height is < 750 mm.
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the side-marker lamp. The max. installation height of the reflector must be taken into account.

5. Side-marker lamp

Installation:	Mandatory for trailers > 6 m long, permitted for trailers < 6 m long.
Number:	At least one in the middle third.
Colour:	Yellow in front, yellow at rear (red also possible in combination with the rear light).
Installation height:	No more than 3 m from front (including drawbar), no more than 1 m from rear, no more than 3 m between each side-marker lamp (exception: 4 m).
Geom. angle of visibility:	Horizontally ± 45°, vertically ± 10°, but 5° downwards if installation height is < 750 mm .
Other regulations:	The illuminating surface of the reflex reflector may be incorporated in the side-marker lamp. The max. installation height of the reflector must be taken into account.

Note: side-marker lamp: intensity of light emitted at least 4cd = for trailers of every category

REAR

6. Direction indicator lamps

Installation:	Mandatory for all trailers, category 2a or 2b.
Number:	2
Colour:	Yellow
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional direction indicator lamps have been installed). Installation height of additional direction indicator lamps: at least 600 mm above the mandatory direction indicator lamps.
Spacing:	No more than 400 mm from the furthest point of the vehicle's width. This does not apply to the additional direction indicator lamps. There should be at least 600 mm between the two direction indicator lamps, but at least 400 mm on vehicles < 1.300 mm wide.
Geom. angle of visibility:	Horizontally 45° inwards to 80° outwards, vertically $\pm 15^\circ$, but also 5° downwards if installation height is < 750 mm.
Other regulations:	Installation of two additional direction indicator lamps (2a or 2b) is permitted on all trailers in the categories O ₂ , O ₃ and O ₄ .

Note:
 Category 2a: one level of intensity = intensity at least 50 cd
 Category 2b: two levels of intensity = intensity by day at least 175 cd
 intensity by night at least 40 cd

7. Rear tail lamp

Installation:	Mandatory for all trailers.
Number:	2
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional rear lamps have been installed). Installation height of the additional rear lamps: at least 600 mm above the mandatory rear lamps.
Spacing:	A max. of 400 mm from the furthest point of the vehicle's width. This does not apply to the additional rear lamps. There must be at least 600 mm between the two rear lamps, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally 45° inwards to 80° outwards, vertically $\pm 15^\circ$, but also 5° downwards if installation height is < 750 mm.
Other regulations:	Unless end-outline marker lamps are installed, two additional rear end-outline lamps may be installed on all trailers of the categories O ₂ , O ₃ and O ₄ .

Note:
 Category S1: one level of intensity = intensity at least 60 cd
 Category S2: two levels of intensity = intensity by day at least 130 cd
 intensity by night at least 30 cd

8. Stop lamp

Installation:	Mandatory for all trailers, category S1 or S2.
Number:	2 unless category S3 stop lamps have been installed, two additional stop lamps of the category S1 or S2 may be installed on vehicles of the categories O ₂ , O ₃ and O ₄ .
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional stop lamps have been installed). Installation height of the additional stop lamps: at least 600 mm above the mandatory stop lamps.
Spacing:	On all trailers at least 600 mm between the two stop lamps, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally $\pm 45^\circ$, vertically $\pm 15^\circ$, but also 5° downwards if the installation height is < 750 mm.
Other regulations:	The distance between the S1 or S2 stop lamp and the rear fog lamp must be > 100 mm.

Note:
 Category S1: one level of intensity = intensity at least 60 cd
 Category S2: two levels of intensity = intensity by day at least 130 cd
 intensity by night at least 30 cd

9. Reversing light

Installation:	Mandatory for all trailers of vehicle categories O ₂ , O ₃ and O ₄ , permissible for trailers of vehicle category O ₁
Number:	1 light is mandatory, a second permissible on trailers < 6 m long. 2 lights mandatory on vehicles > 6 m long, and 2 additional reversing lights permissible on all other trailers.
Colour:	White
Installation height:	At least 250 mm, 1.200 mm max.
Spacing:	No regulations apply
Geom. angle of visibility:	1 light: horizontally ± 45°. 2 lights: horizontally 30° inwards to 45° outwards. Vertically 15° upwards to 5° downwards.
Other regulations:	Installation of additional reversing lights on the vehicle is possible at the rear or on the sides.

Note: The transitional provisions stipulate that new types of trailer (O₂, O₃ and O₄) newly registered from July 2006 must have
 1 reversing light if they are < 6.000 mm long, and
 2 reversing lights if they are > 6.000 mm long.

10. Rear fog lamp

Installation:	Mandatory for all trailers.
Number:	1 or 2
Colour:	Red
Installation height:	At least 250 mm, 1.000 mm max.
Spacing:	No regulations apply.
General regulations for installation:	In the case of 1 rear fog lamp: left of centre for left-hand drive vehicles, right of centre for right-hand drive vehicles. Centre installation permissible.
Geom. angle of visibility:	Horizontally ± 25°, vertically ± 5°.
Circuit-closed tell-tale:	Mandatory. An independent, non-flashing tell-tale.
Other regulations:	Distance from the stop lamp must be > 100 mm.

11. End-outline marker lamp *

Installation:	Mandatory for trailers > 2.1 m wide. Permissible for trailers > 1.8 m to 2.1 m wide.
Number:	2
Colour:	Red
Installation height:	As high as possible.
Spacing:	As near the widest point of the vehicle as possible, a max. of 400 mm from the furthest point of the vehicle's width.
Geom. angle of visibility:	Horizontally 80° outwards. Vertically 5° above and 20° below the horizontal.
Other regulations:	The rear red and front white end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with. The distance between the end-outline marker lamp and the rear lamp must be at least 200 mm. Any rear light or rear reflex reflector may be used. Additional reflectors are permitted.

*End-outline marker lamps: special regulation for trailers with canopy:

On a trailer with a canopy the end-outline marker lamp can only be installed at the bottom. The front white and rear red end-outline marker lamps may be installed in a single lamp provided the installation regulations and angles of visibility are complied with.

12. Rear reflex reflector

Installation:	Mandatory for all trailers.
Number:	2
Colour:	Red
Shape:	Triangular
Alignment:	The tip of the triangle must point upwards.
Installation height:	At least 350 mm, 900 mm max. (exception: 1.500 mm).
Spacing:	No more than 400 mm from the furthest point of the vehicle's width, with at least 600 mm between both reflectors, but at least 400 mm if the vehicle is < 1.300 mm wide.
Geom. angle of visibility:	Horizontally $\pm 30^\circ$. Vertically $\pm 15^\circ$, but 5° downwards if the installation height is < 750 mm.
Other regulations:	A rear light with an incorporated rectangular reflex reflector is permitted on trailers. Additional reflex reflectors are permitted.

13. Registration plate lamp

Installation:	Mandatory for all trailers.
Number:	1 or more
Colour:	White
Installation height:	At least 350 mm to bottom edge triangle, max. 900 mm to top triangle (exception: 1.500 mm)
Position:	Central or on the left (or right on right-hand drive vehicles).

14. High-mounted stop lamp

Installation:	Permitted on all trailers, category S3.
Number:	1 piece. If the vehicle's median longitudinal plane does not pass through a solid rear panel but is, for instance, divided by doors leaving no room for an S3 stop lamp, it is permissible for two S3 stop lamps of the stop lamp type „D“ or for one S3 stop lamp to be installed to the left or the right of the vehicle's median longitudinal plane.
Colour:	Red
Installation height:	At least 350 mm, 1.500 mm max. (exception: 2.100 mm only if no two additional rear lamps have been installed). Installation height of the additional rear lamps: at least 600 mm above the mandatory rear lamps.
Spacing:	The point of reference must be the in the trailer's median longitudinal plane. If two S3 stop lamps have been installed each one must be installed as near as possible to the median longitudinal plane. If only one S3 stop lamp is installed next to the median longitudinal plane the distance must be no greater 150 mm.
Geom. angle of visibility:	Horizontally $\pm 10^\circ$ Vertically 10° above and 5° below the horizontal.

Notes: Category S3 high-mounted stop lamp = intensity of light emitted at least 25 cd, 80cd max.
Category S3 type „D“ twin lamp = intensity of light emitted at least 25 cd, 55cd max.

12V Lamps








12V LAMPS REAR LAMPS

ROUNDPOINT SINGLE RESP. DOUBLE FUNCTION LAMP IN CLEAR GLASS DESIGN

2 PIN CONNECTION, BULBS INCLUDED



DESCRIPTION

direction indicator, orange

stop light, red
tail light, red
fog, red

reverse, white

PART NO

21-7500-007

21-7501-007

21-7505-007

27-7500-007

28-7500-007

3 PIN CONNECTION, BULBS INCLUDED




DESCRIPTION

tail light + stop, red

PART NO

21-7502-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

decoring chrome
decoring red
decoring orange

O-ring, self adhesive

bulb 12V / 21W, BA15s
(direction indicator, reverse, fog)

bulb 12V / 5W, BA15s
(tail light)

bulb 12V / 21/5W, BAY15d
(tail light, stop light)

PART NO

15-5200-007

15-5200-017


15-5200-027

15-5111-207

16-6121-017

16-6105-017

16-6122-017



DESCRIPTION

2 pin connector female for Roundpoint including contacts and single wire isolation in plastic bag

3 pin connector female for Roundpoint including contacts and single wire isolation in plastic bag

right adapter, 5 pin bayonet on connection for Roundpoint (reverse or fog, rear-stop light, direction lamp)


left adapter, 5 pin bayonet on connection for Roundpoint (reverse or fog, rear-stop light, direction lamp)

PART NO
13-3081-014
13-3082-014
66-1563-007
66-1564-007

12V LAMPS REAR LAMPS

ROUNDPOINT II SINGLE RESP. DOUBLE FUNCTION LAMP

2 PIN WIRED, BULB INCLUDED



DESCRIPTION

direction indicator, orange
1.8 m open ended cable
fog, red, 1.8 m open ended
cable
reverse, white, 1.8 m open
ended cable


PART NO

31-7600-007

37-7600-007

38-7600-007

3 PIN WIRED, BULB INCLUDED



DESCRIPTION

tail light + stop, red 1.8 m
open ended cable


PART NO

32-7600-007

ROUNDPOINT II LED SINGLE RESP. DOUBLE FUNCTION LAMP



2 PIN WIRED



DESCRIPTION

direction indicator, orange
1.8 m cable open ended
cable
fog, red, 1.8 m open ended
cable
reverse, white, 1.8 m open
ended cable


PART NO

31-7600-707

37-7600-707

38-7600-707

3 PIN WIRED




DESCRIPTION

tail light + stop, red 1.8 m
open ended cable


PART NO

32-7600-707

LINEPOINT I SINGLE RESP. DOUBLE FUNCTION LAMP



2 PIN WIRED




DESCRIPTION

- direction indicator 0.5 m open ended cable
- fog lamp 0.5 m open ended cable
- reversing lamp 0.5 m open ended cable
- 3rd stop lamp 0.5 m open ended cable

PART NO

- 31-9221-007
- 37-9220-007
- 38-9220-007
- 31-8920-007

3 PIN WIRED



DESCRIPTION

- tail + stop lamp
- 0.5 m open ended cable


PART NO

- 31-9220-007

LINEPOINT I TAIL-STOP-DIRECTION INDICATOR-LAMP



4 PIN WIRED



DESCRIPTION

- tail, stop, DI lamp
- 0.5 m open ended cable
- tail, stop, DI lamp
- 5 m open ended cable

PART NO


- 33-8914-007
- 33-8914-017

12V LAMPS REAR LAMPS

LINEPOINT II SINGLE RESP. DOUBLE FUNCTION LAMP



2 PIN WIRED



DESCRIPTION

direction indicator, 0.5 m open ended cable, 360° homologation

„progressive direction indicator“ left 0.5 m open ended cable

„progressive direction indicator“ right 0.5 m open ended cable

fog, 0.5 m open ended cable, 360° homologation

reverse, 0.5 m cable open ended cable, vertical

reverse, 0.5 m cable open ended cable, horizontal

PART NO

31-9231-007

31-9231-207


31-9231-217

37-9230-007

38-9230-007

38-9231-007

3 PIN WIRED



DESCRIPTION

tail light + stop, 0.5 m open ended cable

360° homologation


PART NO

31-9230-007

3-CHAMBER LIGHT ASPÖCK SINGLE RESP. TRIPLE FUNCTION LAMP



5 PIN BAYONET CONNECTION, INCLUDING BULBS



DESCRIPTION

rear light + stop light +
direction indicator

fog

reverse



PART NO

23-8200-507

27-8000-517

28-8001-517

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens + screws for 3
chamber light

lens + screws for
fog lamp

lens + screws for
reversing lamp

adapter for standard main
cable with 5 pin bayonet (2 x
5 pin bayonet with connection
for fog and reverse)

bulb 12V / 21W, BA15s
(fog, reverse, stop light and
direction indicator)

bulb 12V / 5W, BA15s
(tail light)

PART NO

18-8382-107

18-8780-107

18-8880-107

66-5041-007

16-6121-017

16-6105-017


12V LAMPS REAR LAMPS

* 3-CHAMBER LIGHT ASPÖCK LED

SINGLE RESP. TRIPLE FUNCTION LAMP
IN CLEAR GLASS DESIGN



5 PIN BAYONET CONNECTION



DESCRIPTION

2x rear light, 2x stop light
and direction indicator

fog

reverse


PART NO

23-8400-787

27-8400-717

28-8400-717

SPARE PARTS AND ACCESSORIES



DESCRIPTION

adapter for standard main
cable with 5 pin bayonet (2 x
5 pin bayonet with connection
for fog and reverse)

solution for electronic troubles

PART NO


66-5041-007

see page 144

* please notice the general advice at page 146

MINIPOINT TAIL, STOP AND DIRECTION INDICATOR

5 PIN BAYONET CONNECTOR, BULBS INCLUDED



DESCRIPTION

left / right
left / right + number plate light

PART NO

23-0200-507
23-0300-507

GROMMET VERSION, WITHOUT BULBS



DESCRIPTION

left/right
left/right + number plate light
left/right + number plate light
+ number plate light insert
loose in black

PART NO

23-0200-007
23-0300-007
23-0300-037

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens including number plate
light insert in black and white
and screws

protection cover

lens screws

bulb 12V / 21W, BA15s
(stop light, direction indicator)

festoon, 12V / 5W, SV8.5-8
(tail light + number plate light)

PART NO

18-8300-007

15-5206-007

14-0325-007

16-6121-017


16-6605-017

12V LAMPS REAR LAMPS



MINILED II INDICATOR-STOP-TAIL-FOG-REVERSE LAMP

INDICATOR-STOP-TAIL LAMP




DESCRIPTION

- 0.5 m with open ended cable
- 5 m with open ended cable
- 0.5 m with 7 pin ASS2 + 0.25 m 3 pin ASS3 left
- 0.5 m with 7 pin ASS2 + 0.25 m 3 pin ASS3 right
- 0.5 m with 8 pin bayonet + 0.25 m 3 pin ASS3
- 0.5 m with 5 pin bayonet + 0.25 m 3 pin ASS3

PART NO

- 33-7200-007
- 33-7200-017
- 33-7207-047
- 33-7207-057
- 33-7207-517
- 33-7207-507

FOG-REVERSE LAMP




DESCRIPTION

- 0.5 m with open ended cable
- 0.5 m with 3 pin ASS3

PART NO

- 32-7200-007
- 32-7207-007

REVERSE LAMP




DESCRIPTION

- 0.5 m with open ended cable
- 0.5 m with 2 pin ASS3

PART NO

- 38-7200-007
- 38-7207-007

FOG LAMP




DESCRIPTION

- 0.5 m with open ended cable
- 0.5 m with 2 pin ASS3

PART NO

- 37-7200-007
- 37-7207-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Y-cable cable 3 pin ASS3


PART NO

65-6502-017



MINILED III INDICATOR-STOP-TAIL-LAMP

5 PIN BAYONET CONNECTION




DESCRIPTION

left/right with LCG
 left/right +
 Number plate lamp with LCG
 left/right ⚠
 left/right +
 Number plate lamp ⚠

PART NO

33-7234-007
 33-7234-017
 33-7234-077
 33-7234-087

0,5m WITH OPEN ENDED CABLE




DESCRIPTION

left/right with LCG
 left/right +
 Number plate lamp with LCG
 left/right ⚠
 left/right +
 Number plate lamp ⚠


PART NO

33-7234-027
 33-7234-037
 33-7234-057
 33-7234-067

0,5m WITH OPEN ENDED CABLE DI-ID



DESCRIPTION

left/right with DI-ID  ⚠
 (direction indicator control
 pulse)

PART NO


33-7234-047

12V LAMPS REAR LAMPS



POSIPOINT IV DOUBLE RESP. TRIPLE FUNCTION LAMP

TAIL-STOP-DIRECTION INDICATOR




DESCRIPTION

0.5 m with open ended cable
grey sealing

PART NO
33-7344-017

FOG & REVERSE LAMP




DESCRIPTION

0.5 m with open ended cable
grey sealing

PART NO
32-7344-017

DIRECTION INDICATOR & FRONT POSITION LAMP



DESCRIPTION


0.1 m with LEAR connector
black sealing

PART NO
32-7344-027

BRASPOINT 98 MM



TAIL, STOP AND DIRECTION INDICATOR




DESCRIPTION

0.5 m with open ended cable
 0.5 m with 5 pin bayonet
 0.5 m with 8 pin bayonet
 + 0.25 m with 8 pin bayonet

PART NO

33-9200-007
 33-9200-507
 33-9200-517

TAIL, FOG AND REVERSE LAMP HORIZONTAL




DESCRIPTION

0.5 m with open ended cable
 0.5 m with 8 pin bayonet

PART NO

33-8100-107
 33-8100-607

TAIL, FOG AND REVERSE LAMP VERTICAL



DESCRIPTION

0.5 m with open ended cable
 0.5 m with 8 pin bayonet

PART NO

33-8100-007
 33-8100-507

12V LAMPS REAR LAMPS


BRASPOINT 140 MM



ADR-Zone 2
approved

IP6K9K

TAIL, STOP AND DIRECTION INDICATOR




DESCRIPTION

0.5 m with open ended cable
0.5 m with 5 pin bayonet
0.5 m with 8 pin bayonet
+ 0.25 m with 8 pin bayonet

PART NO

33-9200-207
33-9200-707
33-9200-717

TAIL, FOG AND REVERSE LAMP




DESCRIPTION

0.5 m with open ended cable
0.5 m with 8 pin bayonet

PART NO

33-8100-207
33-8100-707

TAIL AND STOP LAMP



DESCRIPTION

0,5 m with open ended cable


PART NO

33-9200-307



AGRIPOINT TAIL, STOP AND DIRECTION INDICATOR

**HYBRID-VERSION (INDICATOR = BULB)
5 PIN BAYONET CONNECTOR**




DESCRIPTION

left / right without
number plate light
left / right + number plate light
below

PART NO

23-4004-507
23-4004-537

0.5 M OPEN ENDED CABLE




DESCRIPTION

left / right without
number plate light
left / right + number plate light
below

PART NO

23-4004-007
23-4004-037

**FULL LED
5 PIN BAYONET CONNECTOR**




DESCRIPTION

left / right without
number plate light
left / right + number plate light
below

PART NO

23-4000-507
23-4000-537

0.5 M OPEN ENDED CABLE



DESCRIPTION

left / right without
number plate light
left / right + number plate light
below

PART NO

23-4000-007
23-4000-037

YOUR BENEFIT!!!


License plate position changeable. LP down -> left or right.

12V LAMPS REAR LAMPS



AGRILED I TAIL, STOP, DIRECTION INDICATOR WITH TRIANGULAR REFLECTOR

0,5 m OPEN ENDED CABLE




DESCRIPTION

left / right
 left / right +
 Number plate lamp below
 left / right + LCG
 left / right +
 Number plate lamp below +
 LCG

PART NO
33-4124-027
33-4124-037
33-4124-067
33-4124-077

5 PIN BAYONET CONNECTION




DESCRIPTION

left / right
 left / right + Number plate lamp
 below
 left / right + LCG
 left / right + Number plate lamp
 below + LCG

PART NO
23-4124-027
23-4124-037
23-4124-067
23-4124-077

0,5M CABLE WITH 7 PIN ASS2



DESCRIPTION


left + Number plate lamp below
 + LCG
 right + LCG

PART NO
33-4124-087
33-4124-097

AGRILED II TAIL, STOP, DIRECTION INDICATOR WITH TRIANGULAR REFLECTOR



5 PIN BAYONET CONNECTION




DESCRIPTION

left / right + LCG
left / right + Number plate lamp
below + LCG

PART NO

23-4124-217
23-4124-237

0,3M CABLE WITH 7 PIN ASS2



DESCRIPTION

left + LCG
left + Number plate lamp below
+ LCG
right + LCG
right + Number plate lamp
below + LCG


PART NO

33-4124-247
33-4124-257
33-4124-277
33-4124-267

12V LAMPS REAR LAMPS

MIDIPOINT I TAIL, STOP, DIRECTION INDICATOR AND NUMBER PLATE LIGHT

5 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

left / right + fog
 left / right + fog, number plate
 light below
 left / right
 left / right + reverse

PART NO

24-6000-007
 24-6002-507
 24-6200-007
 24-6210-007

GROMMET VERSION, WITHOUT BULBS



DESCRIPTION

left / right + fog
 left / right
 left / right + reverse

PART NO

24-6000-157
 24-6200-157
 24-6210-167

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left / right
 lens left / right + reverse
 lens screws
 bulb 12V / 21W, BA15s
 (direction indicator, fog lamp,
 reverse)
 bulb 12V / 21/5W, BAY15d
 (tail light + stop light)
 festoon, 12V / 5W, SV8.5-8
 (number plate light)


PART NO

18-8460-007
 18-8462-107
 14-2465-417
 16-6121-017
 16-6122-017
 16-6605-017

MIDIPOINT II TAIL, STOP, DIRECTION INDICATOR AND NUMBER PLATE LIGHT



5 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

left / right + fog
left / right
left / right + reverse

PART NO

24-3000-007
24-3200-007
24-3210-007

GROMMET VERSION, WITHOUT BULBS




DESCRIPTION

left / right + fog
left / right + reverse

PART NO

24-3000-157
24-3200-167

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left / right
lens left / right + reverse

lens screws

bulb 12V / 21W, BA15s
(direction indicator, fog,
reverse)

bulb 12V / 21/5W, BAY15d
(tail light + stop light)

festoon, 12V / 5W, SV8.5-8
(number plate light)

PART NO

18-8430-007
18-8432-107

14-0306-007

16-6121-017

16-6122-017


16-6605-017

12V LAMPS REAR LAMPS

MIDILED I MAX TAIL, STOP, DIRECTION INDICATOR, REVERSING, FOG LAMP



0,5m CABLE WITH 7 PIN ASS2 HORIZONTAL/VERTICAL MOUNTABLE




DESCRIPTION

left
right

PART NO

35-2021-027
35-2021-017

0,5m CABLE WITH 7 PIN AMP HORIZONTAL/VERTICAL MOUNTABLE




DESCRIPTION

left / right

PART NO

35-2021-037

0,5m CABLE 7 PIN ASS2 AND PROGRESSIVE INDICATOR (ONLY HORIZONTAL)




DESCRIPTION

left
right

PART NO

35-2020-027
35-2020-017

0,5m CABLE 7 PIN AMP AND PROGRESSIVE INDICATOR (ONLY HORIZONTAL)



DESCRIPTION

left / right


PART NO

35-2020-037

MIDILED I TAIL, STOP, DIRECTION INDICATOR, REVERSING, FOG LAMP 



5 PIN BAYONET CONNECTION, HIGH AND PROGRESSIVE DI (ONLY HORIZONTAL)



BESCHREIBUNG


left / right + fog + number plate light
left / right + reverse + number plate light

PART NO

24-3814-007

24-3814-017

0,5 m OPEN ENDED CABLE, HIGH AND PROGRESSIVE INDICATOR (ONLY HORIZONTAL)




BESCHREIBUNG

left / right + number plate light

PART NO

34-3814-027

0,5 m OPEN ENDED CABLE, FLAT AND PROGRESSIVE INDICATOR (ONLY HORIZONTAL)




BESCHREIBUNG

left / right without number plate light

PART NO

34-3814-017

0,5 m OPEN ENDED CABLE FLAT (VERTICAL)



BESCHREIBUNG

left / right without number plate light


PART NO

34-3814-007

12V LAMPS REAR LAMPS

MULTIPOINT I TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

left + fog
left + reverse
left
right
right + fog
right + reverse

PART NO

24-5000-007
24-5000-037
24-5005-507
24-5200-007
24-5205-507
24-5210-007

GROMMET VERSION, WITHOUT BULBS



DESCRIPTION

left + fog
right
right + reverse

PART NO

24-5000-157
24-5200-157
24-5210-167

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens left + reverse
lens right
lens right + reverse

lens screws

bulb 12V / 21W, BA15s
(direction indicator, fog,
reverse)

bulb 12V / 21/5W, BAY15d
(tail light + stop light)

festoon, 12V / 5W, SV8.5-8
(number plate light)

PART NO

18-8450-007
18-8450-037
18-8452-007
18-8452-107

14-2465-417


16-6121-017

16-6122-017

16-6605-017

MULTIPOINT II TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

- left
- left + fog
- left + fog, NPL below
- right
- right, NPL below
- right + fog
- right + reverse
- right + reverse, NPL below
- right + fog, NPL below

PART NO

- 24-7000-507
- 24-7000-007
- 24-7000-207
- 24-7200-007
- 24-7200-207
- 24-7200-507
- 24-7210-007
- 24-7200-307
- 24-7225-007

GROMMET VERSION, WITHOUT BULBS



DESCRIPTION

- left + fog
- left + fog, number plate light below
- right
- right + reverse

PART NO

- 24-7000-157
- 24-7000-357
- 24-7200-157
- 24-7210-167

SPARE PARTS AND ACCESSORIES



DESCRIPTION

- lens including filter for direction indicator and fog
- lens screws
- bulb 12V / 21W, BA15s (fog, reverse)
- bulb 12V / 21W, BAU15s orange (direction indicator)
- bulb 12V / 21/5W, BAY15d (tail light + stop light)
- bulb 12V / 10W, BA15s (NPL on the side)
- festoon, 12V / 5W, SV8.5-8 (NPL below)



PART NO

- 18-8470-007
- 14-2465-417
- 16-6121-017
- 16-6121-107
- 16-6122-017
- 16-6110-017
- 16-6605-017



MULTIPOINT III TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED





DESCRIPTION

- left + fog
- left + fog + side marker lamp
- right
- right + fog
- right + reverse
- right + side marker lamp
- right + reverse + side marker lamp without number plate light

PART NO

- 24-8000-007
- 24-8060-007
- 24-8200-007
- 24-8200-507
- 24-8210-007
- 24-8260-007
- 24-8262-007

8 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

- left + fog + reverse
- left + fog + reverse + side marker lamp
- right + fog + reverse
- right + fog + reverse + side marker lamp

PART NO

- 24-8077-007
- 24-8070-007
- 24-8277-007
- 24-8271-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION



- lens including filter for direction indicator and fog
- lens screws
- bulb 12V / 21W, BA15s (direction indicator, fog, reverse)
- bulb 12V / 21/5W, BAY15d (tail light + stop light)
- festoon, 12V / 5W, SV8.5-8 (NPL, side marker lamp)

PART NO

- 18-8480-007
- 14-2465-417
- 16-6121-017
- 16-6122-017
- 16-6605-017

MULTIPOINT IV TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT, AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED




DESCRIPTION

left + fog
left
right
right + fog
right + reverse

PART NO

24-8400-007
24-8400-507
24-8600-007
24-8600-507
24-8610-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left including filter for direction indicator and fog
lens right including filter for direction indicator and fog

lens screws

bulb 12V / 21W, BA15s (direction indicator, fog, reverse)

bulb 12V / 21/5W, BAY15d (tail light + stop light)

festoon, 12V / 5W, SV8.5-8 (number plate light)

PART NO


18-8484-007
18-8486-007
14-2465-417
16-6121-017
16-6122-017
16-6605-017

12V LAMPS REAR LAMPS



MULTIPOINT V TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED




DESCRIPTION

left + fog
left + reverse
right
right + reverse

PART NO

24-8500-007
24-8510-007
24-8700-007
24-8710-007

8 PIN BAYONET CONNECTION, BULBS INCLUDED




DESCRIPTION

left + fog + reverse
right + fog + reverse

PART NO

24-8550-007
24-8750-007

GROMMET VERSION, WITHOUT BULB



DESCRIPTION

left + fog + reverse
right + fog + reverse

PART NO

24-8500-157
24-8700-157

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens right
lens screws
bulb 12V / 10W, BA15s (numberplate)
bulb 12V / 21W, BA15s (fog + reverse)
bulb 12V / 21W, BAU15s orange (direction indicator)
bulb 12V / 21/5W, BAY15d (tail light + stop light)
LED insert left (tail + stop light) 
LED insert right (tail + stop light) 


PART NO

18-8485-007
18-8487-007
14-2465-417
16-6110-017
16-6121-017
16-6121-107
16-6122-017
12-1530-004
12-1531-004



*** MULTIPOINT V LED TAIL, STOP, DIRECTION INDICATOR, NUMBER PLATE LIGHT AND TRIANGLE REFLECTOR**

5 PIN BAYONET CONNECTION, BULBS INCLUDED (BULBS RESP. LED INSERT FOR REAR AND STOP LIGHT)




DESCRIPTION

left + fog
left + reverse
right + fog
right + reverse

PART NO

24-8504-007
24-8514-007
24-8704-507
24-8714-007

8 PIN BAYONET CONNECTION, BULBS INCLUDED (BULBS RESP. LED INSERT FOR REAR AND STOP LIGHT)




DESCRIPTION

left + fog + reverse
right + fog + reverse

PART NO

24-8554-007
24-8754-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens right

lens screw
bulb 12V / 10W, BA15s (numberplate)
bulb 12V / 21W, BA15s (fog + reverse)
bulb 12V / 21W, BAU15s orange (direction indicator)
bulb 12V / 21/5W, BAY15d (tail light + stop light)
LED insert left (tail + stop light) ⚠️
LED insert right (tail + stop light) ⚠️

PART NO

18-8485-007
18-8487-007
14-2465-417
16-6110-017
16-6121-017
16-6121-107
16-6122-017
12-1530-004
12-1531-004


* please notice the general advice at page 146

12V LAMPS REAR LAMPS

*MULTILED II TAIL-STOP-DI-REVERSING-FOG-LAMP AND TRIANGLE REFLECTOR



VERSION FLAT WITHOUT NUMBER PLATE LIGHT




DESCRIPTION

- left 0.5 m with open ended cable
- right 0.5 m with open ended cable
- left 0.5 m, with 5 pin bayonet without reverse
- right 0.5 m, with 5 pin bayonet without fog
- left 0.5 m, with 8 pin bayonet
- right 0.5 m, with 8 pin bayonet
- left 0.5 m, 7 pin ASS2
- right 0.5 m, 7 pin ASS2
- left 0.5 m, 7 pin AMP
- right 0.5 m, 7 pin AMP

PART NO

- 35-0201-007
- 35-0202-007
- 35-0201-017
- 35-0202-017
- 35-0201-027
- 35-0202-027
- 35-0201-037
- 35-0202-037
- 35-0201-047
- 35-0202-047

VERSION DEEP WITHOUT NUMBER PLATE LIGHT



DESCRIPTION

- left 0.5 m with open ended cable
- right 0.5 m with open ended cable
- left 0.5 m, with 5 pin bayonet without reverse
- right 0.5 m, with 5 pin bayonet without fog
- left 0.5 m, with 8 pin bayonet
- right 0.5 m, with 8 pin bayonet
- left 0.5 m, 7 pin ASS2
- right 0.5 m, 7 pin ASS2
- left 0.5 m, 7 pin AMP
- right 0.5 m, 7 pin AMP

PART NO




- 35-0203-007
- 35-0204-007
- 35-0203-017
- 35-0204-017
- 35-0203-027
- 35-0204-027
- 35-0203-037
- 35-0204-037
- 35-0203-047
- 35-0204-047

* please notice the general advice at page 146

***MULTILED II TAIL-STOP-DI-REVERSING-FOG-LAMP AND TRIANGLE REFLECTOR**



VERSION DEEP INCLUDING NUMBERPLATE LIGHT



DESCRIPTION

- left + NPL 0.5 m with open ended cable
- right + NPL 0.5 m with open ended cable

- left + NPL below 0.5 m with open ended cable
- right + NPL below 0.5 m with open ended cable

- left + NPL 0.5 m, with 5 pin bayonet without reverse
- right + NPL 0.5 m, with 5 pin bayonet without fog

- left + NPL below 0.5 m, with 5 pin bayonet without reverse
- right + NPL below 0.5 m, with 5 pin bayonet without fog

- left + NPL 0.5 m, with 8 pin bayonet
- right + NPL 0.5 m, with 8 pin bayonet

- left + NPL below 0.5 m, with 8 pin bayonet
- right + NPL below 0.5 m, with 8 pin bayonet

- left + NPL 0.5 m, 7 pin ASS2
- right + NPL 0.5 m, 7 pin ASS2

- left + NPL below 0.5 m, 7 pin ASS2
- right + NPL below 0.5 m, 7 pin ASS2

- left + NPL 0.5 m, 7 pin AMP
- right + NPL 0.5 m, 7 pin AMP

- left + NPL below 0.5 m, 7 pin AMP
- right + NPL below 0.5 m, 7 pin AMP

PART NO

- 35-0203-057
- 35-0204-057

- 35-0203-107
- 35-0204-107

- 35-0203-067
- 35-0204-067

- 35-0203-117
- 35-0204-117

- 35-0203-077
- 35-0204-077

- 35-0203-127
- 35-0204-127

- 35-0203-087
- 35-0204-087

- 35-0203-137
- 35-0204-137

- 35-0203-097
- 35-0204-097


- 35-0203-147
- 35-0204-147

12V LAMPS REAR LAMPS

MULTILED III TAIL-STOP-DI-REVERSING-FOG-LAMP AND TRIANGLE REFLECTOR



7 PIN ASS2 CONNECTION




DESCRIPTION

left 7pin
 left 7pin + 1x 2pol. ASS2
 left 7pin + 1x 2pol. ASS2 with SMCG
 right 7pin
 right 7pol. + 1x 2pol. ASS2
 right 7pol. + 1x 2pol. ASS2 with SMCG

PART NO

24-8931-007
 24-8931-017
 24-8931-027
 24-8930-007
 24-8930-017
 24-8930-027

7 PIN AMP (DIN 72585) CONNECTION



DESCRIPTION

left 7pin
 left 7pin + 1x 2pol. ASS2
 left 7pin + 1x 2pol. AMP Superseal
 left 7pin + 1x 2pol. AMP Superseal with SMCG
 right 7pin
 right 7pin + 1x 2pol. ASS2
 right 7pin + 1x 2pol. AMP Superseal
 right 7pin + 1x 2pol. AMP Superseal with SMCG


PART NO

24-8931-047
 24-8931-037
 24-8931-057
 24-8931-067
 24-8930-047
 24-8930-037
 24-8930-057
 24-8930-067

MULTILED III TAIL-STOP-DI-REVERSING-FOG-LAMP AND WITHOUT TRIANGLE REFLECTOR



7 PIN ASS2 CONNECTION



DESCRIPTION

left 7pin
 left 7pin + 1x 2pol. ASS2
 left 7pin + DI - ID
 right 7pin
 right 7pin + 1x 2pol. ASS2
 right 7pin + DI - ID

PART NO


24-8931-007
 24-8931-017
 24-8931-027
 24-8930-007
 24-8930-017
 24-8930-027

* bitte beachten Sie den allgemeinen Hinweis auf Seite 146

MULTILED IV TAIL-STOP-DI-REVERSING-FOG-LAMP AND TRIANGLE REFLECTOR LECTOR



5 PIN BAYONET CONNECTION




DESCRIPTION

left with fog
left with fog + NPL
right with reverse
right with reverse + NPL

PART NO

34-8941-027
34-8941-037
34-8940-027
34-8940-037

8 PIN BAYONET CONNECTION




DESCRIPTION

left with fog + reverse
left with fog, reverse + NPL
right with fog, reverse
right with fog, reverse + NPL

PART NO

34-8941-047
34-8941-057
34-8940-047
34-8940-057

0,5 m OPEN ENDED CABLE



DESCRIPTION

left with fog, reverse + NPL
left with fog, reverse lamp
right with fog, reverse + NPL
right with fog, reverse

PART NO


34-8941-007
34-8941-017
34-8940-007
34-8940-017

12V LAMPS REAR LAMPS



EARPOINT I TAIL, STOP, DIRECTION INDICATOR AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED




DESCRIPTION

left + fog
right
right + reverse
right + fog

PART NO

24-4001-007
24-4201-007
24-4205-007
24-4207-007




left + fog + end outline marker
left + reverse + end outline marker
left + end outline marker
right + end outline marker
right + reverse + end outline marker
right + fog + end outline marker

24-4051-007
24-4057-007
24-4056-007
24-4251-007
24-4255-007
24-4257-007



SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens left + reverse
lens right
lens right + reverse

lens end outline marker red / white / yellow

lens screws

bulb 12V / 21W, BA15s (direction indicator, fog, reverse)
bulb 12V / 10W, BA15s (tail light)
bulb 12V / 4W, BA9s (end outline marker)

PART NO

18-8440-007
18-8440-057
18-8442-007
18-8442-107

18-8136-007


14-1394-057

16-6121-017
16-6110-017
16-6104-017



EARPOINT III TAIL, STOP, DIRECTION INDICATOR AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED





DESCRIPTION

left + fog
left + reverse
left
right
right + fog
right + reverse

PART NO

24-4700-007
24-4710-007
24-4700-507
24-4800-007
24-4800-507
24-4810-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens left + reverse
lens right
lens right + reverse

bracket
bracket including screws
M8 x 30

lens screws

bulb 12V / 21W, BA15s
(direction indicator, fog, reverse)
bulb 12V / 21/5W, BAY15d
(tail light + stop light)

PART NO

18-8447-007
18-8447-107
18-8448-007
18-8448-107

15-5303-007
15-5303-017

14-0325-007


16-6121-017

16-6122-017

EARPOINT LED TAIL-STOP-DI-REVERSING-FOG-LAMP



0.8 M CABLE



DESCRIPTION

left 0.8 m open ended cable
right 0.8 m open ended cable

left 0.8 m, 5 pin bayonet
without reverse
right 0.8 m, 5 pin bayonet
without fog

left 0.8 m, 8 pin. bayonet
right 0.8 m, 8 pin. bayonet

PART NO

35-0301-007
35-0302-007

35-0301-017

35-0302-017


35-0301-027

35-0302-027



EARPOINT IV TAIL, STOP, DIRECTION INDICATOR AND TRIANGLE REFLECTOR

5 PIN BAYONET CONNECTION, BULBS INCLUDED




DESCRIPTION

left + fog
right + reverse
right + fog

PART NO

24-4760-007
24-4862-007
24-4861-007

5 PIN AND 8 PIN BAYONET CONNECTION, BULBS INCLUDED



DESCRIPTION

left + fog + reverse
left + fog + reverse + side
marker lamp
right + fog + reverse
right + fog + reverse + side
marker lamp

PART NO

24-4755-007
24-4750-007
24-4855-007
24-4851-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left
lens right
bracket
bracket including screws M8 x 30
lens screws
bulb 12V / 21W, BA15s
(direction indicator, fog,
reverse, stop light)
festoon, 12V / 5W, SV8.5-8
(tail light + side marker lamp)

PART NO


18-8447-507
18-8448-517
15-5303-007
15-5303-017
14-2465-417
16-6121-017
16-6605-017

12V LAMPS REAR LAMPS



EUROFAB TAIL, STOP, DIRECTION INDICATOR, FOG AND REVERSE LIGHT

GROMMET VERSION




DESCRIPTION

left
left including bulbs
right
right including bulbs

PART NO

25-8100-007
25-8100-167
25-8300-007
25-8300-167

WITH 7 PIN AMP CONNECTION




DESCRIPTION

left including bulbs
right including bulbs

PART NO

25-8100-207
25-8300-207

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens including screws

bulb 12V / 10W, BA15s
(tail light 2x)
bulb 12V / 21W, BA15s
(fog, reverse, stop light and
direction indicator)

PART NO


18-8580-007

16-6110-017
16-6121-017



EUROPOINT II TAIL, STOP, DIRECTION INDICATOR, FOG, REVERSE LIGHT AND TRIANGLE REFLECTOR

7 PIN ASS2.1 CONNECTOR, BULBS INCLUDED



DESCRIPTION

left + side marker lamp
right + side marker lamp



left + end outline marker
right + end outline marker

PART NO

25-6000-537
25-6400-537

25-6011-527
25-6411-527

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens

bulb 12V / 21W, BA15s
(reverse, fog, stoplight 2x)

bulb 12V / 21W, BAU15s
orange (direction indicator)

bulb 12V / 10W, BA15s
(tail light, 2x, side marker
lamp + position lamp)

bulb 12V / 4W, BA9s
(end outline marker)

adapter 5 pin bayonet on
ASS2 left

adapter 5 pin bayonet on
ASS2 right

adapter 8 pin bayonet on
ASS2 left

adapter 8 pin bayonet on
ASS2 right

LED insert for tail light

LED insert for stop light

PART NO

18-8560-002

16-6121-017

16-6121-107

16-6110-017

16-6104-017

68-2488-017

68-2489-017

68-2495-007

68-2496-007

12-1560-001

12-1560-141




The product video for the Europoint III >>




EUROPOINT III

7 PIN ASS2.1 CONNECTOR, BULBS INCLUDED



DESCRIPTION

left with SML
right with SML



left with SML + end outline marker

right with SML + end outline marker

PART NO

25-7000-537
25-7400-537

25-7020-537

25-7420-537

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens left as spare part
lens right as spare part
insert „Light guide“ left
insert „Light guide“ right
LED insert for stop light left
LED insert for stop light right



PART NO


18-8570-001
18-8570-101
12-1570-001
12-1570-101
12-1570-204
12-1574-204

ECOPOINT II WITH TRIANGLE

TAIL, STOP, DIRECTION INDICATOR, FOG, REVERSE LIGHT INCL. TRIANGLE REFLECTOR AND SML



7 PIN ASS2.1 CONNECTOR, BULBS INCLUDED



DESCRIPTION

left without SML
right without SML
left + SML
right + SML

PART NO

25-2800-017
25-2900-017
25-2800-537
25-2900-537

SPARE PARTS AND ACCESSORIES

DESCRIPTION

lens left
lens right

PART NO

18-8528-002
18-8529-002




Produkt ECOLED II im Detail >>

ECOLED II FULL LED REAR LAMP WITH GLOWING BODY TECHNOLOGY



WITH 7 PIN ASS2 CONNECTION



GENERAL DESCRIPTION

- LED Rear Lamp with replaceable lens
- spare lens can be used on both sides
- reduction in the variety of spare parts: By simply rotating the lens, the Rear Lamp can be adjusted to the mounting position (LH / RH)
- innovative Glowing Body Technology as Tail Light
- increased visibility due to large luminous area of the Tail & Stop Light functions
- progressive Direction Indicator
- ISO pulse 13207-1 as standard (for 24 V)
- practical click system facilitates the mounting of the lens
- chemical and scratch-resistant lens
- SMCG (Sidemarker Control Gear) included (for version with 2-pin outputs) according to ECE 48, Rev. 6
- intelligent partial deactivation of the Stop Light when the rear fog light is activated
- LED End Outline Marker is mounted with a mounting bracket which has a predetermined breaking point
- optional with 4 x 2-pin connections on the rear of the lamp (distributor function)

DESCRIPTION

left 7 pin
 right 7 pin
 left 7 pin + 4 x 2 pin ASS2
 right 7 pin + 4 x 2 pin ASS2
 left 7 pin + 4 x 2 pin ASS2
 Superpoint IV
 right 7 pin + 4 x 2 pin ASS2
 Superpoint IV

PART NO

25-4121-007
 25-4120-007
 25-4121-017
 25-4120-017
 25-4121-027
 25-4120-027

WITH 7 PIN AMP (DIN 72585) CONNECTION



DESCRIPTION

left 7 pin
 right 7 pin
 left 7 pin + 4 x 2 pin
 SuperSeal
 right 7 pin + 4 x 2 pin
 SuperSeal
 left 7 pin + 4 x 2 pin
 SuperSeal Superpoint IV
 right 7 pin + 4 x 2 pin
 SuperSeal Superpoint IV

PART NO

25-4121-037
 25-4120-037
 25-4121-047
 25-4120-047
 25-4121-057
 25-4120-057

ECOLED II TRUCK WITH 7 PIN AMP (DIN 72585) CONNECTION



DESCRIPTION


left 7 pin
 right 7 pin

PART NO

25-4121-067
 25-4120-067

FLEXIPOINT I WHITE POSITION LAMP WHITE WITH REFLECTOR

DC FLATCABLE, BULBS INCLUDED



DESCRIPTION

- 0.5 m
- 0.5 m, bracket 100 mm
- 1.0 m, bracket 100 mm
- 0.5 m, mud guard bracket
- 0.5 m, straight rubber bracket
- 1.3 m, flat bracket (mounting with space)
- 0.5 m, 90° bracket, horizontal mounting
- 0.5 m, soft bracket
- 0.5 m, bracket 150 mm

PART NO

- 31-6509-027
- 31-6569-037
- 31-6569-287
- 31-6569-077
- 31-6569-127
- 31-6569-547
- 31-6569-197
- 31-6569-537
- 31-6509-007

SPARE PARTS AND ACCESSORIES


















DESCRIPTION

- Flexipoint white, loose without bulb
- lens white
- lens screws
- screws for bracket
- festoon, 12V / 5W, SV8.5-8

PART NO

- 21-6512-007
- 18-8165-027
- 14-0292-057
- 14-0392-057
- 16-6605-017


12V LAMPS POSITION LAMPS

		DESCRIPTION	PART NO
		bracket 100 mm	15-5310-107
		bracket 150 mm	15-5311-007
		straight rubber bracket	15-5312-107
		mud guard bracket	15-5314-107
		flat bracket	15-5316-007
		90° bracket	15-5318-007
		soft bracket	15-5316-707
		DC connector	15-5976-017



FLEXIPOINT LED WHITE POSITION LAMP WHITE WITH REFLECTOR

DC FLATCABLE



DESCRIPTION

0.5 m
1 m


0.5 m bracket 100 mm
1 m bracket 100 mm

PART NO

31-6309-007
31-6309-017

31-6369-007
31-6369-017

DUAL VOLTAGE



DESCRIPTION

0.5 m
1 m

0.5 m bracket 100 mm
1 m bracket 100 mm


PART NO

31-6309-077
31-6309-087

31-6369-027
31-6369-037

DIFFERENT BRACKETS ON PAGE 59

FLEXIPOINT III WHITE POSITION LAMP WHITE WITH REFLECTOR



DESCRIPTION

including grommet without bulb

PART NO

21-8500-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens white

festoon, 12V / 5W, SV8.5-8

PART NO

18-8185-017


16-6605-017

12V LAMPS POSITION LAMPS



SIDEPOINT WHITE POSITION LAMP WHITE WITH REFLECTOR

DC FLATCABLE, BULBS INCLUDED




DESCRIPTION

0.5 m, straight bracket



PART NO

31-5069-017



0.5 m, 90° bracket

31-5069-007



SPARE PARTS AND ACCESSORIES



DESCRIPTION

Sidepoint surface mounting, 90° bracket, loose in plastic bag

PART NO

21-5000-064



Sidepoint built-in version, incl. rubber pad, loose in plastic bag

21-5000-074



lens + screws

21-5000-024




rubber pad

11-2128-194



bulb 12V / 4W, BA9s

16-6104-017




DC connector

15-5976-017

SQUAREPOINT WHITE POSITION LAMP WHITE

WITH REFLECTOR, DC FLATCABLE, BULBS INCLUDED



DESCRIPTION

0.5 m
1.5 m
3.0 m

PART NO

31-5209-007
31-5209-017
31-5209-027



0.5 m, bracket 100 mm, left
0.5 m, bracket 100 mm, right


31-5269-017
31-5269-027



0.5 m, mud guard bracket

31-5269-047

WITHOUT REFLECTOR



DESCRIPTION

incl. grommet, without bulb

PART NO

21-5100-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Squarepoint white
with reflector, loose without
bulb

PART NO

21-5200-017



lens white, with reflector






18-8152-007



lens white, without reflector

18-8151-007

12V LAMPS POSITION LAMPS



DESCRIPTION

festoon, 12V / 5W, SV8.5-8

DC connector

bracket 100 mm

bracket 150 mm

straight rubber bracket


mud guard bracket

PART NO
16-6605-017
15-5976-017
15-5310-007
15-5311-007
15-5312-007
15-5314-007



FLATPOINT II WHITE LED POSITION LAMP LED WHITE WITH REFLECTOR


DC FLATCABLE



DESCRIPTION

1.0 m
0.5 m

PART NO
31-6909-007
31-6909-017



0.5 m 90° bracket "Z"

31-6969-007

DUAL VOLTAGE



DESCRIPTION

1.0 m

PART NO
31-6909-067

SPARE PARTS AND ACCESSORIES



DESCRIPTION



rubber pad

PART NO
15-5111-007




screws for bracket

14-0418-307




DC connector

15-5976-017



straight bracket

15-5321-007



bracket, 90° "Z"

15-5321-107

12V LAMPS POSITION LAMPS

		<p>DESCRIPTION</p> <p>bracket, 90° "C"</p>	<p>PART NO</p> <p>15-5321-207</p>
--	--	---	--

<p>POSIPOINT II WHITE LED POSITION LAMP LED WHITE </p>				
<p>DC FLATCABLE</p>			<p>DESCRIPTION</p> <p>0.5 m 5.0 m</p>	<p>PART NO</p> <p>31-7109-007 31-7109-017</p>

<p>SPARE PARTS AND ACCESSORIES</p>			<p>DESCRIPTION</p> <p>housing for Posipoint II</p>	<p>PART NO</p> <p>15-5609-107</p>
	<p>DC connector</p>	<p>15-5976-017</p>		


<p>MONOPOINT II WHITE SLIM LED POSITION LAMP LED WHITE </p>				
<p>DC FLATCABLE</p>			<p>DESCRIPTION</p> <p>0.5 m</p>	<p>PART NO</p> <p>31-6709-007</p>

<p>SPARE PARTS AND ACCESSORIES</p>			<p>DESCRIPTION</p> <p>DC connector</p>	<p>PART NO</p> <p>15-5976-017</p>
---	--	--	---	--

FLATPOINT II RED LED POSITION LAMP LED RED WITH REFLECTOR



DC FLATCABLE




DESCRIPTION

0.5 m

PART NO

31-6409-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

rubber pad

screws for bracket

DC connector

straight bracket

bracket 90° "Z"

bracket 90° "C"

PART NO

15-5111-007

14-0418-307

15-5976-017

15-5321-007

15-5321-107


15-5321-207

12V LAMPS POSITION LAMPS



FLEXIPOINT I RED POSITION LAMP RED WITH REFELCTOR

DC FLATCABLE, BULBS INCLUDED (GROMMET VERSION)



DESCRIPTION

0.5 m


0.5 m bracket 100 mm

PART NO

31-6509-067

31-6569-557

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Flexipoint red, loose without bulb

lens red

lensscrews

screws for bracket

festoon, 12V / 5W, SV8.5-8

DC connector

bracket 100 mm

bracket 150 mm

straight rubber bracket

mud guard bracket

PART NO

21-6510-007

18-8165-007

14-0292-057

14-0392-057

16-6605-017

15-5976-017

15-5310-107

15-5311-007

15-5312-107

15-5314-107

		DESCRIPTION	PART NO
		flat bracket	15-5316-007
		90° bracket	15-5318-007
		soft bracket	15-5316-707

FLEXIPOINT LED RED

DC FLATCABLE

		DESCRIPTION	PART NO
		0.5 m	31-6309-067

DIFFERENT BRACKETS ON PAGE 67

FLEXIPOINT III RED POSITION LAMP RED WITH REFLECTOR

		DESCRIPTION	PART NO
		with grommet, loose without bulb	21-8500-027


SPARE PARTS AND ACCESSORIES

		DESCRIPTION	PART NO
		lens red	18-8185-027
		festoon, 12V / 5W, SV8.5-8	16-6605-017

12V LAMPS POSITION LAMPS

SQUAREPOINT RED POSITION LAMP RED

WITHOUT REFLECTOR, DC FLATCABLE, BULB INCLUDED




DESCRIPTION

with 0.5 m DC cable

PART NO

31-5309-007

WITHOUT REFLECTOR




DESCRIPTION

with grommet, loose without bulb

PART NO

21-5300-007

WITH REFLECTOR



DESCRIPTION

with grommet, loose without bulb

PART NO

21-5400-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens red without reflector

PART NO


18-8153-007

festoon, 12V / 5W, SV8.5-8

16-6605-017

DC connector


15-5976-017




DESCRIPTION

bracket 100 mm


PART NO
15-5310-007
15-5311-007
15-5312-007
15-5314-007



bracket 150 mm




straight rubber bracket




mud guard bracket

12V LAMPS POSITION LAMPS

POSIPOINT II RED LED POSITION LAMP LED RED



DC FLATCABLE



DESCRIPTION

0.5 m
5.0 m

PART NO

31-7209-007
31-7209-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

housing for Posipoint II
DC connector


PART NO

15-5609-107
15-5976-017

MONOPOINT II RED SLIM LED POSITION LAMP LED RED



DC FLATCABLE




DESCRIPTION

0.5 m

PART NO

31-6809-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector


PART NO

15-5976-017

SIDE MARKER LAMPS

FLEXIPOINT I SIDE MARKER LAMP WITH REFLECTOR

DC FLATCABLE, BULBS INCLUDED (GROMMET VERSION)



DESCRIPTION

0.8 m

PART NO

31-6509-127



0.5 m bracket 100 mm

31-6569-017



0.8 m, 90° bracket,
horizontal mounting

31-6569-307



0.5 m, flat bracket (mounting
plan)

31-6569-387

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Flexipoint yellow, loose,
without bulb

PART NO

21-6511-007



lens yellow

18-8165-017



















lens screws
screws for bracket

14-0292-057

14-0392-057


12V LAMPS SIDE MARKER LAMPS

		DESCRIPTION	PART NO
		festoon 12V / 5W, SV8, 5-8	16-6605-017
		DC connector	15-5976-017
		bracket 100 mm	15-5310-107
		bracket 150 mm	15-5311-007
		straight rubber bracket	15-5312-107
		mud guard bracket	15-5314-107
		flat bracket	15-5316-007
		90° bracket	15-5318-007
		soft bracket	15-5316-707



FLEXIPOINT LED SIDE MARKER LAMP WITH REFLECTOR

DC FLATCABLE



DESCRIPTION

0.5 m

PART NO

31-6309-047

DC FLATCABLE 



DESCRIPTION


0.5 m

PART NO

31-6309-057

DIFFERENT BRACKETS ON PAGE 72

FLEXIPOINT III SIDE MARKER LAMP WITH REFLECTOR




DESCRIPTION

with grommet, loose,
without bulb

PART NO

21-8500-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens yellow

festoon 12V / 5W, SV8, 5-8


PART NO

18-8185-017

16-6605-017

12V LAMPS SIDE MARKER LAMPS

SQUAREPOINT YELLOW SIDE MARKER LAMP WITH REFLECTOR








DESCRIPTION

with grommet, loose, without bulb

PART NO

21-5600-007

SPARE PARTS ACCESSORIES



DESCRIPTION

lens yellow with reflector

festoon 12V / 5W, SV8, 5-8

DC connector

bracket 100 mm

bracket 150 mm

straight rubber bracket

mud guard bracket

PART NO

18-8156-007

16-6605-017

15-5976-017

15-5310-007

15-5311-007


15-5312-007

15-5314-007



SIDEPOINT YELLOW WITH REFLECTOR SML WITH REFLECTOR

DC FLATCABLE, BULB INCLUDED




DESCRIPTION

0.3 m, rubber pad, built-in version


PART NO

31-2819-007



0.3 m, straight bracket

31-2869-007



0.3 m, 90° bracket

31-2869-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Sidepoint built-in, with rubber pad, loose in plastic bag

PART NO

21-2801-014

Sidepoint straight bracket, loose in plastic bag

21-2800-044

Sidepoint bracket 90°, loose in plastic bag

21-2800-024

lens yellow with screws, loose in plastic bag

21-2800-004

rubber pad

11-2128-194

bulb 12V / 4W, BA9s

16-6104-017

DC connector


15-5976-017

12V LAMPS SIDE MARKER LAMPS



FLATPOINT I LED SIDE MARKER LAMP LED WITH REFLECTOR

DC FLATCABLE



DESCRIPTION

0.3 m, built-in version
0.3 m, rubber pad, built-in version

0.3 m, straight bracket

0.3 m, 90° bracket


PART NO

31-2219-017
31-2219-027

31-2269-007

31-2219-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Flatpoint I built-in, loose in plastic bag

Flatpoint I built-in with rubber pad, loose in plastic bag

Flatpoint I straight bracket, loose in plastic bag

Flatpoint I 90° bracket, loose in plastic bag

lens yellow, loose in plastic bag

rubber pad

DC connector

PART NO

21-2201-024

21-2201-034

21-2200-044

21-2200-034

21-2200-024


11-2128-194

15-5976-017



FLATPOINT II LED SIDE MARKER LAMP LED WITH REFLECTOR

DC FLATCABLE




DESCRIPTION

0.5 m
1.0 m


PART NO

31-2309-027
31-2309-037




0.5 m, bracket „Z“
1.5 m, bracket „Z“

31-2369-027
31-2369-037



0.5 m, straight bracket
1.0 m, straight bracket


31-2369-017
31-2369-057



0.5 m bracket „C“
2.0 m bracket „C“

31-2369-047
31-2369-067

DUAL VOLTAGE



DESCRIPTION





1 m

PART NO

31-2309-087

12V LAMPS SIDE MARKER LAMPS

SPARE PARTS AND ACCESSORIES



DESCRIPTION

rubber pad

screws for bracket

DC connector

straight bracket

90° bracket „Z“

90° bracket „C“

PART NO

15-5111-007

14-0418-307



15-5976-017

15-5321-007

15-5321-107

15-5321-207

FLATPOINT III LED SIDE MARKER LAMP LED WITH REFLECTOR



DESCRIPTION

0.1 m, splice connector

PART NO


21-2410-017

NUMBER PLATE LIGHTS

REGPOINT NUMBER PLATE LIGHT



DC-FLATCABLE, BULB INCLUDED



DESCRIPTION

0.8 m
1.5 m

0.8 m, red lens

PART NO

36-3209-017
36-3209-027

36-3209-147

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lamp loose with grommet

transparent red lens

DC connector

festoon 12V / 5W, SV8, 5-8

PART NO

26-3200-007

18-8630-104


15-5976-017

16-6605-017

REGPOINT LED NUMBER PLATE LIGHT LED



DC-FLATCABLE




DESCRIPTION

0.8 m

PART NO

36-3509-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector

PART NO

15-5976-017


12V LAMPS NUMBER PLATE LIGHTS



REGPOINT II LED NUMBER PLATE LIGHT LED



DC-FLATCABLE




DESCRIPTION

0,8 m
1,5 m

PART NO

36-3809-007
36-3809-017

VERSION FOR SINGLE MOUNTING, DC FLATCABLE



DESCRIPTION


1,5 m

PART NO

36-3869-007

REGPOINT SMALL NUMBER PLATE LIGHT

DC-FLATCABLE, BULB INCLUDED



DESCRIPTION

0,8 m
1,5 m

PART NO

36-1209-017
36-1209-027

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lamp lose with grommet
DC connector
festoon 5W / 12V


PART NO

26-1200-007
15-5976-017
16-6605-017

REGPOINT SMALL LED NUMBER PLATE LIGHT



DC-FLATCABLE




DESCRIPTION

0,8 m

PART NO

36-1209-707

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector


PART NO

15-5976-017



REGPOINT LED BUILT-IN NUMBER PLATE LAMP LED

REGPOINT LED BUILT-IN 82mm




DESCRIPTION

0,8 m DC flat cable
1,5 m with 6,3 flat cable

PART NO

36-3904-407
36-3904-607

REGPOINT LED BUILT-IN 91mm



DESCRIPTION



0,5 m DC flat cable
0,2 m with 6,3 flat cable
0,5 m DC flat cable +
housing

PART NO

36-3904-007
36-3904-207
36-3904-017

NUMBERPLATE BRACKET FLEXLED

DC-FLATCABLE



DESCRIPTION

0,8 m cable



PART NO


36-3704-287

12V LAMPS NUMBER PLATE HOLDER



NUMBER PLATE BRACKET INCLUDING 2 X NUMBER PLATE LIGHT LED

DC-FLATCABLE



DESCRIPTION

0.8 m


0.8 m + 3rd stop light 1.0 m

PART NO

36-3769-007

36-3769-017

SPARE PARTS AND ACCESSORIES




DESCRIPTION

DC connector

PART NO

15-5976-017

NUMBER PLATE PAD




DESCRIPTION

Number plate pad
520 x 120 x 28 mm

PART NO

15-5392-017



Number plate pad „Version UK“, 345 x 256 x 28 mm

15-5398-507

SPARE PARTS AND ACCESSORIES



DESCRIPTION


bracket for Regpoint Lamp

PART NO

15-5398-067

FLEXIPOINT I RED/WHITE END OUTLINE MARKER LAMP RED/WHITE

DC-FLATCABLE, BULB INCLUDED



DESCRIPTION

PART NO

0.5 m

31-6509-047



0.5 m, straight rubber bracket, right

31-6569-707



0.5 m, straight rubber bracket, left

31-6569-717



2.5 m, flat bracket (mounting plan)

31-6569-377

SPARE PARTS AND ACCESSORIES



DESCRIPTION

PART NO

Flexipoint red/white, loose, without bulb

21-6513-007



lens red/white

18-8165-037



lens screws
screws for bracket


14-0292-057

14-0392-057



festoon 12V / 5W, SV8, 5-8















16-6605-017



DC connector

15-5976-017


12V LAMPS END OUTLINE MARKER

Image	Dimensions	DESCRIPTION	PART NO
		bracket 100 mm	15-5310-107
		bracket 150 mm	15-5311-007
		straight rubber bracket	15-5312-107
		mud guard bracket	15-5314-107
		flat bracket	15-5316-007
		90° bracket	15-5318-007
		soft bracket	15-5316-707

FLEXIPOINT LED RED/WHITE



DC-FLATCABLE



DESCRIPTION

0.5 m
3 m

PART NO

31-6309-027
31-6309-037

DIFFERENT BRACKETS ON PAGE 78

DC-FLATCABLE AND STRAIGHT RUBBER BRACKET



DESCRIPTION


0.5 m left
0.5 m right
3 m left
3 m right

PART NO

31-6369-047
31-6369-057
31-6369-067
31-6369-077

FLEXIPOINT II RED/WHITE END OUTLINE MARKER LAMP RED/WHITE

DC-FLATCABLE, BULB INCLUDED (BLACK BASE)



DESCRIPTION

2.25 m
0.25 m

PART NO

31-4709-007
31-4709-027

DC-FLATCABLE, BULB INCLUDED (GREY BASE)




DESCRIPTION

2.50 m

PART NO

31-4709-037

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lamp loose with grommet
black without bulb

PART NO

21-4700-007

lamp loose with grommet grey
without bulb

21-4700-107

festoon 12V / 5W, SV8, 5-8

16-6605-017

DC connector


15-5976-017

12V LAMPS END OUTLINE MARKER

FLEXIPOINT II LED RED/WHITE



DC FLATCABLE (BLACK BASE)




DESCRIPTION

2.5 m DC cable,
black base

PART NO

31-8524-017

DC FLATCABLE (GREY BASE)



DESCRIPTION

2.5 m DC cable,
grey base

5 m DC cable,
grey base, reflector grey


PART NO

31-8524-027

31-8524-047

SQUAREPOINT RED/WHITE END OUTLINE MARKER LAMP RED/WHITE

DC-FLATCALBE, BULB INCLUDED




DESCRIPTION

2 m

PART NO

31-5709-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Squarepoint red/white, loose without bulb

lens red/white

festoon 12V / 5W, SV8, 5-8

DC connector

bracket 100 mm

bracket 150 mm

straight rubber bracket

mud guard bracket

PART NO

21-5700-007

18-8157-007

16-6605-017

15-5976-017

15-5310-007

15-5311-007

15-5312-007


15-5314-007

12V LAMPS END OUTLINE MARKER



SUPERPOINT II END OUTLINE MARKER LAMP RED/WHITE WITH SIDE MARKER LAMP, DC-FLATCABLE, BULB INCLUDED

STANDARD VERSION



DESCRIPTION

1 m, right, cable entry below
1 m, left, cable entry below


PART NO

31-3409-007
31-3409-017

1 m, right, cable entry lateral
1 m, left, cable entry lateral

31-3409-107
31-3409-117

ECOPOINT VERSION




DESCRIPTION

1.0 m, right
1.0 m, left

PART NO

31-3609-007
31-3609-017

SHORT VERSION




DESCRIPTION

1.0 m, left / right
0.5 m, right - 90° bracket
0.5 m, left - 90° bracket

PART NO

31-3709-017
31-3769-007
31-3769-017

EARPOINT VERSION





DESCRIPTION

1.0 m, left
1.0 m, right

PART NO

31-3809-007
31-3809-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens red / white / yellow

90° bracket (only for standard version and short version)

DC connector

bulb 12V / 4W BA9s

PART NO

18-8136-007

15-5313-007

15-5976-017

16-6104-017


SUPERPOINT IV LED



END OUTLINE MARKER LAMP LED RED/WHITE/ORANGE, DC FLAT CABLE



VERSION STANDARD, SIDE MARKER LAMP ORANGE




DESCRIPTION

1 m, right, SML orange
1 m, left, SML orange

PART NO

31-3109-007
31-3109-017

VERSION STANDARD, SIDE MARKER LAMP RED



DESCRIPTION


1 m, right, SML red
1 m, left, SML red

PART NO

31-3109-047
31-3109-057

12V LAMPS END OUTLINE MARKER

SHORT VERSION




DESCRIPTION

1 m, right, SML orange
1 m, left, SML orange

PART NO
31-3109-107
31-3109-117

DIRECT MOUNTING VERSION




DESCRIPTION

1 m, right, SML orange
1 m, left, SML orange

PART NO
31-3109-067
31-3109-077

PENDULAR BRACKET VERSION




DESCRIPTION

1 m, right, SML orange
1 m, left, SML orange

PART NO
31-3109-087
31-3109-097

VERSION „EARPOINT“



DESCRIPTION

1 m, right, SML orange
1 m, left, SML orange


PART NO
31-3109-127
31-3109-137



SUPERPOINT III LED

END OUTLINE MARKER LAMP LED RED/WHITE/ORANGE,
DC FLAT CABLE, INCLUDING DC CONNECTION

STANDARD VERSION




DESCRIPTION

1 m left
1 m right

PART NO

31-3309-007
31-3309-017

SHORT VERSION




DESCRIPTION

1 m left / right

PART NO

31-3309-027

DIRECT MOUNTING VERSION




DESCRIPTION

1 m left / right

PART NO

31-3309-037

PENDULAR BRACKET VERSION




DESCRIPTION

1 m right
1 m left

PART NO

31-3309-047
31-3309-057

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector

PART NO

15-5976-017


90° bracket (only for standard
direct and short version)

15-5313-007

12V LAMPS DIRECTION INDICATOR

DIRECTION INDICATOR - ROUNDPOINT CLEAR GLASS DESIGN

2PIN CONNECTION, BULB INCLUDED




DESCRIPTION

direction lamp, orange

PART NO

21-7500-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

ring chrome
ring red
ring orange

PART NO

15-5200-007
15-5200-017
15-5200-027



O-ring self adhesive

15-5111-207




bulb 12V / 21W, BA15s
(direction indicator, reverse and fog)

16-6121-017



2 pin connector, female
for Roundpoint including con-
tacts and single wire
isolation in plastic bag

13-3081-014



right adapter, 5 pin bayonet
on connection for Roundpoint
(reverse or fog, tail, stop and
direction lamp) female


66-1563-007

left adapter, 5 pin bayonet
on connection for Roundpoint
(reverse or fog, tail, stop and
direction lamp) female

66-1564-007

ROUNDPOINT II DIRECTION INDICATOR

2 PIN WIRED, BULB INCLUDED



DESCRIPTION


direction indicator, orange
1.8 m open ended cable

PART NO

31-7600-007

ROUNDPOINT II LED DIRECTION INDICATOR

2 PIN WIRED



DESCRIPTION

direction indicator, orange
1.8 m open ended cable




PART NO

31-7600-707

LINEPOINT I DIRECTION INDICATOR

2 PIN WIRED



DESCRIPTION

direction indicator, 0.5 m
open ended cable




PART NO

31-9221-007

LINEPOINT II DIRECTION INDICATOR

2 PIN WIRED



DESCRIPTION

direction indicator, 0.5 m
open ended cable,
360° Homologation

„progressive direction indicator“
left 0.5 m open ended cable
„progressive direction indicator“
right 0.5 m open ended cable



PART NO


31-9231-007

31-9231-207

31-9231-217

12V LAMPS FOG LAMPS

FOG LAMP 140 MM LED




DESCRIPTION

5 pin bayonet connector

PART NO

27-8400-717

SPARE PARTS AND ACCESSORIES



DESCRIPTION

adapter for standard main cable with 5 pin bayonet (2 x 5 pin bayonet with connection for fog and reverse)


solution for electronic troubles

PART NO

66-5041-007

see page 144

FOG LAMP 140 MM





DESCRIPTION

5 pin bayonet connector, bulb included

PART NO

27-8000-517

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lens + screws for fog lamp

bulb 12V / 21W, BA15s

adapter for standard main cable with 5 pin bayonet (2 x 5 bayonet with connection for fog and reverse)

PART NO


18-8780-107

16-6121-017

66-5041-007

FOGPOINT FOG LAMP

2 PIN CONNECTOR, BULB INCLUDED




DESCRIPTION

0.2 m, including screws

PART NO


37-6603-037



0.3 m + bracket for 1 screw

37-0003-107

DC FLATCABLE, BULB INCLUDED



DESCRIPTION

0.2 m

PART NO

37-6609-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lamp, including grommet,
loose without bulb

PART NO

27-6600-017

lamp with bracket for 1
screw, including grommet,
loose without bulb

27-6610-017

lamp with bracket for 2
screws, including grommet,
loose without bulb

27-6610-027

lens

18-8766-007


DC connector


15-5976-017

bulb 12V / 21W, BA15s

16-6121-017

12V LAMPS FOG LAMPS





DESCRIPTION

male connector, including contacts and grommet


adapter for standard main cable
(2 x 5 pin bayonet with DC-extension for fog/reverse)


PART NO


13-0021-007

66-5031-007

FOG - ROUNDPOINT FOG LAMP IN CLEAR GLASS DESIGN











DESCRIPTION


2 pin connector, bulb included

PART NO

27-7500-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

ring chrome

ring red

ring orange

O-ring selfadhesive

bulb 12V / 21W, BA15s

2 pin connector, female for Roundpoint including contacts and single wire isolation in plastic bag

right adapter, 5 pin bayonet on connection for Roundpoint (reverse or fog, tail, stop and direction lamp) female

left adapter, 5 pin bayonet on connection for Roundpoint (reverse or fog, tail, stop and direction lamp) female

PART NO

15-5200-007

15-5200-017

15-5200-027


15-5111-207

16-6121-017

13-3081-014


66-1563-007

66-1564-007



ROUNDPOINT II FOG LAMP

2 PIN, WIRED, BULB INCLUDED



DESCRIPTION

fog, red, 1.8 m open ended cable


PART NO

37-7600-007

ROUNDPOINT II LED FOG LAMP



2 PIN, WIRED



DESCRIPTION

fog, red, 1.8 m open ended cable




PART NO

37-7600-707

LINEPOINT I FOG LAMP



2 PIN, WIRED



DESCRIPTION

fog, 0.5 m open ended cable,




PART NO

37-9220-007

LINEPOINT II FOG LAMP



2 PIN, WIRED



DESCRIPTION

fog, 0.5 m open ended cable,
360° homologation



PART NO


37-9230-007

12V LAMPS FOG LAMPS / REVERSING LAMPS



MINILED II INDICATOR-STOP-TAIL-FOG-REVERSE LAMP

FOG-REVERSE LAMP




DESCRIPTION

0.5 m with open ended cable
0.5 m with 3 pin ASS3

PART NO

32-7200-007
32-7207-007

FOG LAMP




DESCRIPTION

0.5 m with open ended cable
0.5 m with 2 pin ASS3

PART NO

37-7200-007
37-7207-007

REVERSE LAMP




DESCRIPTION

0.5 m with open ended cable
0.5 m with 2 pin ASS3

PART NO

38-7200-007
38-7207-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

Y-cable 3 pin ASS3


PART NO

65-6502-017

BRASPOINT 98 MM



**TAIL, FOG AND REVERSE LAMP
HORIZONTAL**




DESCRIPTION

0.5 m with open ended cable
0.5 m with 8 pin bayonet

PART NO

33-8100-107
33-8100-607

**TAIL, FOG AND REVERSE LAMP
VERTICAL**



DESCRIPTION

0.5 m with open ended cable
0.5 m with 8 pin bayonet


PART NO

33-8100-007
33-8100-507

BRASPOINT 140 MM



TAIL, FOG AND REVERSE LAMP



DESCRIPTION

0.5 m with open ended cable
0.5 m with 8 pin bayonet


PART NO

33-8100-207
33-8100-707

REVERSING LAMP



DC FLATCABLE, BULB INCLUDED, 2 X M6 SCREWS



DESCRIPTION


1.0 m

PART NO

38-6809-107

12V LAMPS FOG LAMPS / REVERSING LAMPS

SPARE PARTS AND ACCESSORIES



DESCRIPTION

amp including grommet, without bulb

DC-connector

bulb 12V / 21W, BA15s

adapter for standard main cable (2 x 5 pin bayonet with DC-extension for fog / reverse)

PART NO


28-6810-007

15-5976-017

16-6121-017

66-5031-007

REVERSING LAMP LED OVAL




DESCRIPTION


2.5 m with open ended cable

PART NO

38-8200-007



REVERSING LAMP 140 MM




DESCRIPTION

5 pin bayonet connection, bulb included

PART NO

28-8001-517

SPARE PARTS AND ACCESSORIES



DESCRIPTION


lens + screws for reversing lamp

PART NO

18-8880-107

bulb 12V / 21W, BA15s


16-6121-017



adapter for standard main cable with 5 pin bayonet (2 x 5 pin bayonet with connection for fog / reverse)

66-5041-007

REVERSING LAMP 140 MM LED




DESCRIPTION

5 pin bayonet connection

PART NO

28-8100-707

SPARE PARTS AND ACCESSORIES



DESCRIPTION

adapter for standard main cable with 5 pin bayonet (2 x 5 pin bayonet with connection for fog / reverse)

PART NO


66-5041-007

solution for electronic troubles

see page 144

12V LAMPS REVERSING LIGHTS

REVERSING LAMP - ROUNDPOINT REVERSING LAMP WITH CLEAR GLASS DESIGN




DESCRIPTION

2 pin connector.
bulb included

PART NO

28-7500-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

ring chrome
ring red
ring orange


PART NO

15-5200-007
15-5200-017
15-5200-027



O-ring self adhesive

15-5111-207




bulb 12V / 21W, BA15s

16-6121-017




2 pin connector, female
for Roundpoint including con-
tacts and single wire
isolation in plastic bag

13-3081-014



right adapter, 5 pin bayonet
on connection for Roundpoint
(reverse or fog, tail, stop and
direction lamp)

66-1563-007




left adapter, 5 pin bayonet
on connection for Roundpoint
(reverse or fog, tail, stop and
direction lamp)

66-1564-007

ROUNDPOINT II REVERSING LAMP

2 PIN, WIRED, BULB INCLUDED



DESCRIPTION


reverse, white, 1.8 m open ended cable

PART NO

38-7600-007

ROUNDPOINT II LED REVERSING LAMP

2 PIN, WIRED



DESCRIPTION

reverse, white, 1.8 m open ended cable




PART NO

38-7600-707

LINEPOINT I REVERSING LAMP

2 PIN, WIRED,



DESCRIPTION

reverse, 0.5 m cable open ended cable




PART NO

38-9220-007

LINEPOINT II REVERSING LAMP

2 PIN, WIRED,



DESCRIPTION

reverse, 0.5 m cable open ended cable, vertical
reverse, 0.5 m cable open ended cable, horizontal



PART NO


38-9230-007

38-9231-007



WORKING LAMP LED

WORKPOINT LED 650



GENERAL DESCRIPTION


- long life expectancy
- very low current consumption
- water and steam resistant
- standard mounting
- all purpose (near field lighting and spot lighting)
- overheating protection

DESCRIPTION


2.5 m with open ended cable

PART NO

39-6400-017



WORKPOINT LED 800



GENERAL DESCRIPTION

- long life expectancy
- very low current consumption
- water and steam resistant
- standard mounting
- all purpose (near field lighting and spot lighting)
- overheating protection

DESCRIPTION


2.5 m with open ended cable

2 pin AMP connector
Serie 180 923

PART NO

39-6800-017


39-6801-007



REVERSING-, FLOOD LAMP ASPÖCK



INCLUDING BULB 21 WATT




DESCRIPTION

PG connection

PART NO

28-9050-007

INCL. BULB 55 WATT



DESCRIPTION


PG connection
2 pin Deutsch connector

PART NO

28-9150-007

28-9160-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

bulb 12V / 21W, BA15s

PART NO


16-6121-017

12V LAMPS WORK LAMPS

WORKPOINT II 1000



E R23



GENERAL DESCRIPTION

- >100 Lumen/Watt
- 1000 Lumen
- 5700 Kelvin
- Approval as reversing light

DESCRIPTION

- DT connector integrated, 60° beam angle
- 1,5m with open ended cable, 60° beam angle
- 1,5m ASS2, 60° beam angle


PART NO

- 28-8524-017
- 38-8524-017
- 38-8524-067

WORKPOINT II 1500



E R23



GENERAL DESCRIPTION

- >125 Lumen/Watt
- 1500 Lumen
- 5700 Kelvin
- Approval as reversing light

DESCRIPTION

- DT connector integrated, 60° beam angle
- 1,5m with open ended cable, 60° beam angle
- 1,5m with ASS2, 60° beam angle



PART NO

- 28-8524-007
- 38-8524-007
- 38-8524-057

WORKPOINT II 3000



E R23



GENERAL DESCRIPTION

- 100 Lumen/Watt
- 3000 Lumen
- 5700 Kelvin
- Approval as reversing light

DESCRIPTION

DT connector integrated,
20° beam angle

DT connector integrated,
60° beam angle

1,5m with open ended cable,
20° beam angle

1,5m with open ended cable,
60° beam angle

BEST. NR.


28-8524-037

28-8524-047

38-8524-037

38-8524-047

ERSATZTEILE UND ZUBEHÖR



DESCRIPTION

OMEGA HOLDING

Extension cable Workpoint II DT 3 m

Extension cable Workpoint II DT 5 m

Extension cable Workpoint II DT 6,5 m

Extension cable Workpoint II DT 8 m

Extension cable Workpoint II DT 10 m

Extension cable Workpoint II DT 12 m

BEST. NR.

14-4302-227

69-0236-017

69-0236-007

69-0236-057

69-0236-027

69-0236-037

69-0236-047

12V LAMPS ROTATION LAMPS

FLASHLED WITH ADJUSTABLE FLASH-PATTERN


E R65

EMC

CISPR 25
class 5+


ADR-Zone 2
perman.
IP6K9K

DIRECT MOUNTING



SINGLE
FLASH



DOUBLE
FLASH




ROTATION



PART NO

39-9024-007

SINGLE BOLT



SINGLE
FLASH



DOUBLE
FLASH




ROTATION



PART NO

39-9024-017

DIN BRACKET



SINGLE
FLASH



DOUBLE
FLASH





ROTATION



PART NO

29-9024-007

CABLE LAMPS



DESCRIPTION

as per drawing, with socket

as per drawing, without socket

PART NO

81-3500-011


81-3400-031

12V LEUCHTEN ADDITIONAL BRAKE LAMPS



3RD STOP LIGHT LED

DC-FLATCABLE



DESCRIPTION

1 m, built-in without bracket



1 m, built-in with bracket

PART NO

31-8909-007

31-8919-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector


adapter for 3rd stop light 0.2 m + connection DC 0.2 m, fitting to connection cable with 5 pin bayonet

PART NO

15-5976-017

66-5030-007

FLEXLED CHMSL 1500mm 3RD STOP LIGHT





DESCRIPTION

1,5 m with open ended cable

PART NO

30-5101-737

3RD STOP LIGHT LED SELF ADHESIVE





DESCRIPTION

0.2 m (open end)
3.8 m DC flatcalbe

PART NO

31-8700-007
31-8709-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector

adapter for 3rd stop light 0.2 m + connection DC 0.2 m, fitting to connection cable with 5pin bayonet

PART NO


15-5976-017

66-5030-007

3RD STOP LIGHT LED INTEGRATED AT THE NUMBER PLATE PAD



DC-FLATCABLE




DESCRIPTION

0.8 m / 1 m (stop light)

PART NO

36-3769-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

DC connector


PART NO

15-5976-017

12V LEUCHTEN INTERIOR LAMPS

INPOINT INTERIOR LAMP WITH SWITCH

DC FLATCABLE BULB INCLUDED




DESCRIPTION

2.5 m
3.5 m
4.5 m
6.5 m

PART NO

39-8209-007
39-8209-067
39-8209-047
39-8209-097

SPARE PARTS AND ACCESSORIES



DESCRIPTION

lamp loose including bulb

bulb 12V / 21W, BA15s

DC connector

PART NO

29-8200-007

16-6121-017


15-5976-017

INTERIOR LAMP LED ROUND

480 LUMEN



SINGLE CONDUCTOR



DESCRIPTION

200 mm

PART NO

29-8410-107

DC FLATCABLE



DESCRIPTION

2.5 m


PART NO

39-8409-007

INPOINT III LED INTERIOR LAMP LED 



WITHOUT SWITCH




DESCRIPTION

- short, 0.3 m open ended cable
- long, 0.3 m open ended cable
- round, 0.3 m open ended cable

PART NO
39-8900-157
39-8900-007
39-8900-307

WITH SWITCH




DESCRIPTION

- short, 0.3 m open ended cable
- long, 0.3 m open ended cable
- round, 0.3 m open ended cable




PART NO
39-8900-257
39-8900-107
39-8900-407

WITH MOTION SENSOR



DESCRIPTION

- short, 0.3 m open ended cable
- long, 0.3 m open ended cable
- round, 0.3 m open ended cable




PART NO
39-8900-207
39-8900-057
39-8900-357

12V LAMPS INTERIOR LAMPS

INTERIOR LAMP LED

WITHOUT SWITCH




DESCRIPTION

3,5 m DC white
3,5 m DC white/blue

PART NO

39-8900-187
39-8900-197

WITH SWITCH



DESCRIPTION

3,5m DC white
3,5m DC white/blue


PART NO

39-8900-167
39-8900-177




TUBEPOINT INTERIOR LAMP LED


DC FLAT CABLE



Dimension endcap



Dimension lens



DESCRIPTION

Tubepoint 12V 450 mm,
0.25 m DC
Tubepoint 12V 900 mm,
0.25 m DC
Tubepoint 12V 1.350 mm,
0.25 m DC

PART NO

21-8004-027
21-8004-057
21-8004-087

P&R CABLE



DESCRIPTION

Tubepoint 12V 450 mm,
0.25 m P&R
Tubepoint 12V 900 mm,
0.25 m P&R
Tubepoint 12V 1.350 mm,
0.25 m P&R

PART NO

21-8004-007
21-8004-037
21-8004-067

SPARE PARTS AND ACCESSORIES



DESCRIPTION

pendular bracket

PART NO

21-8007-107



profile bracket

21-8007-117



direct mounting bracket

21-8007-127




fixation clip

21-8007-137

12V Cables






12V CABLES MAIN CABLES

7 PIN PLUG DIN ISO 1724

5 PIN BAYONET CONNECTOR




DESCRIPTION

maincable 3.0 m
maincable 3.5 m
maincable 4.0 m
maincable 4.5 m
maincable 5.0 m

PART NO

58-1022-287
58-1022-137
58-1022-037
58-1022-087
58-1022-047




maincable 4.0 m
maincable 5.0 m

58-1022-787
58-1022-677

7 PIN PLUG DIN ISO 1724 WITH 1 x DC EXTENSION

5 PIN BAYONET CONNECTOR



DESCRIPTION


maincable 4.5 m, extension 4.5 m
maincable 5.0 m, extension 5.0 m

PART NO

58-1093-067
58-1093-057

7 PIN PLUG DIN ISO 1724 WITH 2 x DC EXTENSIONS

5 PIN BAYONET CONNECTOR



DESCRIPTION

maincable 5.2 m,
extensions 3.0 m
maincable 7.0 m,
extensions 4.7 m


PART NO

58-1098-137

58-1098-107

13 PIN PLUG DIN ISO 11446

5 PIN BAYONET CONNECTOR



DESCRIPTION

maincable 3.5 m
maincable 4.0 m
maincable 4.5 m
maincable 5.0 m
maincable 6.1 m

PART NO

58-2008-407

58-2008-017


58-2008-057

58-2008-027

58-2008-077

13 PIN PLUG DIN ISO 11446 WITH 2 x EXTENSIONS DC

5 PIN BAYONET CONNECTOR



DESCRIPTION

maincable 4.5 m,
extensions 2.5 m
maincable 5.0 m,
extensions 3.0 m
maincable 6.0 m,
extensions 4.5 m
maincable 7.0 m,
extensions 4.7 m
maincable 8.0 m,
extensions 6.0 m

PART NO

58-2040-537

58-2040-527

58-2040-517


58-2040-257

58-2040-017

12V CABLES MAIN CABLES

13 PIN PLUG DIN ISO 11446 WITH 2 x EXTENSIONS DC

8 PIN BAYONET CONNECTOR




DESCRIPTION

maincable 8.0 m,
extensions 6.0 m


PART NO

58-2071-117



maincable 10.0 m,
extensions 7.5 m

58-2071-107




maincable 12.0 m,
extensions 0.2 m
maincable 14.0 m,
extensions 0.2 m

58-2071-037

58-2071-027

13 PIN PLUG DIN ISO 11446 WITH 1 x EXTENSIONS DC

7 PIN ASS2 CONNECTOR



DESCRIPTION




maincable 5.5 m,
extension 0.1 m

PART NO

58-2078-007

13 PIN PLUG DIN ISO 11446 WITH 2 x EXTENSIONS DC AND EXTENSION FOR CHARGE LINE

5 PIN BAYONET CONNECTOR



DESCRIPTION

maincable 5.0 m,
extensions DC 0.1 m
extension charge line 3.3 m
maincable 6.0 m,
extensions DC 0.1 m
extension charge line 4.0 m
maincable 8.0 m,
extensions DC 0.1 m
extension charge line 5.0 m

Harness E-pump
(suitable to 58-2063-...)
with fuse 7.5A and
connection to external electric
charge (as per drawing)

battery cable black 1.05 m

battery cable red 0.68 m

PART NO

58-2063-007

58-2063-017

58-2063-027

58-9504-007


71-9442-417

71-9443-607

12V CABLE MAIN CABLES

DC - FLAT CABLES

DC EXTENSIONS (OVERMOULDED ENDS)




DESCRIPTION

2.0 m
3.0 m
4.0 m
5.0 m
6.0 m
7.0 m
8.0 m
9.0 m
12.0 m

PART NO

68-5500-007
68-5500-077
68-5500-017
68-5500-117
68-5500-027
68-5500-047
68-5500-037
68-5500-137
68-5500-127

SPARE PARTS AND ACCESSORIES



DESCRIPTION


DC-connector

PART NO

15-5976-017

CONNECTION CABLES PLUGS - PLUGS

2 x 7 PIN PLUG DIN ISO 1724



DESCRIPTION

2.3 m cable 7 x 0.75 mm²
2.8 m cable 7 x 0.75 mm²
2.8 m cable 7 x 1.5 mm²
3.3 m cable 5 x 1 + 2 x 2.5 mm²

PART NO

51-0050-387
51-0050-007
51-0052-007
51-0056-017

VARIOUS CABLES

2 x 13 PIN PLUGS DIN ISO 11446



DESCRIPTION

1.3 m cable 7 x 1 + 1 x 1.5 mm²
3.0 m cable 7 x 1 + 1 x 1.5 mm²

PART NO

52-0091-017
52-0091-007

PLUG - COUPLING EXTENSION CABLE

7 PIN PLUG, 7 PIN COUPLING DIN ISO 1724



DESCRIPTION

1.0 m cable 7 x 0.75 mm²
3.0 m cable 7 x 0.75 mm²
7.0 m cable 7 x 0.75 mm²

PART NO

51-0150-117
51-0150-007
51-0150-017

13 PIN PLUG, 13 PIN COUPLING DIN ISO 11446



DESCRIPTION

7.5 m cable 7 x 1.5 + 5 x 2.5 mm²


PART NO

52-5180-017

12V CABLES VARIOUS CABLES

COILED CABLE FLEXIBLE CONNECTION CABLE

7 x 1 + 1 x 1.5 + 3 x 2.5 MM², OPEN END, MAX. LENGHT 2.86 M




DESCRIPTION

0.8 m

PART NO

17-7910-507

8 x 1 MM², 2 x 7 PIN PLUG DIN ISO 1724, MAX. LENGHT 1.32 M




DESCRIPTION

0.5 m

PART NO

51-0233-007

2 X 13 PIN PLUG DIN ISO 11446, MAX. LENGHT 0.86



DESCRIPTION

0.5 m

PART NO

52-0233-007

CABLES SOLD BY THE METER

CABLES

CABLE	WIRE COLOUR	DIAMETER	M PER DRUM	M PER REEL	LOOSE	PART NO
2 CORES						
2 x 0.75 (DC)	brown, white	5.7 x 3.6 mm	5000 m	100 m 200 m	25 m	17-7200-007 17-7200-067 17-7200-077 17-7200-057
2 x 1	brown, white	5.2 mm		100 m		17-7213-257
2 x 1.5	brown, white	6.0 mm		100 m	25 m	17-7223-027 17-7223-017
2 x 1.5 (P&R)	brown, white	6.6 x 3.9 mm	4000 m	200 m		17-7225-107 17-7225-127
2 x 2.5	brown, blue	7.4 mm	2200 m	100 m		17-7232-007 17-7232-017
4 CORES						
4 x 0.75	black, white, red, yellow	6.0 mm	3000 m	100 m	25 m	17-7400-007 17-7400-027 17-7400-017


12V CABLE SETS CABLES SOLD BY THE METER

CABLE	WIRE COLOUR	DIAMETER	M PER DRUM 	M PER REEL 	LOOSE 	PART NO
5 CORES						
5 x 0.75 right	black, white, red, yellow, blue	6.4 mm	2600 m	100 m	25 m	17-7500-007 17-7500-027 17-7500-017
4 x 0.75 + 1 x 1.5	black, red, yellow, blue, white	6.5 mm	2600 m	100 m		17-7502-007 17-7502-017
6 CORES						
6 x 0.75	black, brown, white, red, yellow, green	6.9 mm	2000 m	100 m	25 m	17-7600-007 17-7600-027 17-7600-017
7 CORES						
7 x 0.75	black, brown, white, red, yellow, green, blue	7.0 mm	1000 m	100 m	25 m	17-7700-007 17-7700-027 17-7700-017
7 x 1	black, brown, white, red, yellow, green, blue	7.3 mm	2000 m	100 m		17-7710-007 17-7710-017
7 x 1.5	black, brown, white, red, yellow, green, blue	8.2 mm		100 m		17-7720-017

CABLE	WIRE COLOUR	DIAMETER	M PER DRUM 	M PER REEL 	LOOSE 	PART NO
8 CORES						
7 x 1 + 1 x 1.5	black, brown, grau, red, yellow, green, blue, white	8.6 mm	1500 m	50 m		17-7898-007 17-7898-017
12 CORES						
7 x 1.5 + 5 x 2.5	grau, brown, green, yellow, blue, black, red, white, red/white, black/white, brown/red, brown/blue	12.5 mm	600 m	25 m	25 m	17-7945-007 17-7945-047 17-7945-037

12V Connection Elements





12V CONNECTION ELEMENTS PLUGS

PLUGS 7 PIN

DIN ISO 1724



DESCRIPTION

7 x flat connections, PVC,
grommet single 7 mm

7 x flat connections, PVC,
grommet single 11.5 mm

7 x flat connections, PVC,
grommet, double 2 x 6 mm

7 x screw connections, PVC,
grommet, single 8.6 mm

PART NO

13-3000-007

13-3000-017

13-3000-057

13-3000-107

7 x flat connections, ALU

7 x screw connections, ALU

13-3005-007

13-3015-007

DIN ISO 3732



DESCRIPTION

7 x screw connections, PVC

PART NO

13-3004-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

plug holder Aspöck for 7 pin
or 13 pin plug

PART NO

15-5930-007

plug holder for 7 pin
or 13 pin plug

15-5931-007

PLUGS 13 PIN

DIN ISO 11446



DESCRIPTION

13 screw connections, PVC

PART NO

13-3037-007

SPARE PARTS AND ACCESSORIES




DESCRIPTION

plug holder Aspöck for 7 pin
or 13 pin plug

PART NO

15-5930-007



plug holder for 7 pin
or 13 pin plug

15-5931-007

12V CONNECTION ELEMENTS PLUGS

PLUGS 3 PIN

DIN ISO 9680



DESCRIPTION

3 x flat connections, PVC

PART NO

13-3093-507

PLUGS MULTICON 13 PIN



DESCRIPTION

13 x flat connections, PVC

PART NO

13-3009-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

plug holder Aspöck for 7 pin
or 13 pin plug

PART NO

15-5930-007



plug holder for 7 pin
or 13 pin plug

15-5931-007

SOCKETS 7 PIN

DIN ISO 1724



DESCRIPTION

7 x flat connections, PVC

16 x flat connections, PVC

7 x flat connections, ALU

7 x screw connections, PVC,
fog deactivation

7 x screw connection nickel,
PVC

PART NO

13-3105-007

13-3106-007

13-3105-107

13-3107-007

13-3105-017

DIN ISO 3732




DESCRIPTION

7 x screw connections, PVC,
triple grommet included

PART NO

13-3109-017

SPARE PARTS AND ACCESSORIES



DESCRIPTION

single grommet for socket

triple grommet for socket

spacer ring (10 mm)

PART NO

15-5000-007

15-5000-017

15-5940-007

12V CONNECTION ELEMENTS SOCKETS

SOCKETS 13 PIN

DIN ISO 11446



DESCRIPTION

13 x screw connection, PVC,
single grommet included
+ fog deactivation

PART NO

13-3137-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

single grommet for socket

PART NO

15-5000-007



triple grommet for socket

15-5000-017



spacer ring (10 mm)

15-5940-007

SOCKETS 3 PIN

DIN ISO 9680



DESCRIPTION

3 x flat connections, PVC

PART NO

13-3193-507

ADAPTER

ADAPTER 13 TO 7

DIN ISO 11446 TO DIN ISO 1724



DESCRIPTION

short adapter

PART NO

50-2100-007

ADAPTER 7 TO 13

DIN ISO 1724 TO DIN ISO 11446



DESCRIPTION

short adapter

PART NO

13-3282-007

ADAPTER MULTICON TO 13 PIN

MULTICON TO DIN ISO 11446



DESCRIPTION

Adapter 0.3 m, 12 pin

PART NO

50-4280-007

COUPLING SOCKET 7 PIN

DIN ISO 1724



DESCRIPTION

7 x screw connections, PVC

PART NO

13-3103-007

COUPLING SOCKET 13 PIN

DIN ISO 11446



DESCRIPTION

13 x screw connections, PVC

PART NO

13-3137-097

BAYONET CONNECTOR 2 PIN

2 PIN BAYONET CONNECTOR INCLUDING CONTACTS AND GROMMETS IN PLASTIC BAG AND ASSEMBLY CONSTRUCTION



DESCRIPTION

black, female, single grommet,
socket terminal

black, male, single grommet,
pin terminal

PART NO

13-0226-034

13-0236-004

BAYONET CONNECTOR

BAYONET CONNECTOR 5 PIN

5 PIN BAYONET CONNECTOR INCLUDING CONTACTS AND GROMMETS IN PLASTIC BAG AND ASSEMBLY CONSTRUCTION



DESCRIPTION

yellow, female, single and double grommet, socket terminal

green, female, single and double grommet, socket terminal

black, female, single and double grommet, socket terminal

black, male, single and double grommet, pin terminal

PART NO

13-0521-044

13-0523-044

13-0546-044

13-0536-044

BAYONET CONNECTOR 8 PIN

8 PIN BAYONET CONNECTOR INCLUDING CONTACTS AND GROMMETS IN PLASTIC BAG AND ASSEMBLY CONSTRUCTION



DESCRIPTION

yellow, female, single and double grommet

green, female, single and double grommet

black, female, single and double grommet, socket terminal

black, male, single and double grommet, pin terminal

PART NO

15-0821-507

15-0822-507

13-0828-034

13-0838-054

BAYONET CONNECTOR 15 PIN

15 PIN BAYONET CONNECTOR INCLUDING CONTACTS AND GROMMET IN PLASTIC BAG AND ASSEMBLY CONSTRUCTION



DESCRIPTION

black, male, single grommet
10.5 mm, socket terminal

PART NO

13-1530-004

black, female, single grommet
10.5 mm, pin terminal

13-1540-004

ASS II 7 PIN

7 PIN ASS2 CONNECTOR FEMALE INCLUDING CONTACTS AND VARIOUS GROMMETS AND ASSEMBLY CONSTRUCTION



DESCRIPTION

left, yellow, socket terminal

PART NO

13-5626-941

right, green, socket terminal

13-5626-951

AMP 7 PIN

7 PIN AMP CONNECTOR FEMALE INCLUDING CONTACTS AND 6.5 MM GROMMETS IN PLASTIC BAG



DESCRIPTION

black socket terminal

PART NO

13-3424-024

ASS3 CONNECTOR

3 PIN AMP CONNECTOR FEMALE INCLUDING CONTACTS AND 6.5 MM GROMMETS IN PLASTIC BAG



DESCRIPTION

ASS3 3 pin male
ASS3 3 pin female

PART NO

13-0332-281
13-0322-281

SYSTEMS ASS2 - BOX PACKING



DESCRIPTION

ASS3 17 pin male
ASS3 17 pin female

PART NO

13-1732-001
13-1722-001

12V Reflectors





12V REFLECTORS

REFLECTORS

TRIANGLE REFLECTORS



DESCRIPTION

red, screwable

red, self adhesive

red, screwable, Ø145


PART NO

15-5400-007

15-5400-557

15-5400-607

ROUND, 60 MM



DESCRIPTION

white, screwable

white, self adhesive

red, screwable
red, self adhesive with hole

red, self adhesive

yellow, screwable
yellow, self adhesive with hole

yellow, self adhesive

PART NO

15-5410-007

15-5410-017

15-5411-007

15-5411-047


15-5411-017

15-5412-007

15-5412-047

15-5412-017

ROUND, 80 MM



DESCRIPTION

white, screwable

white, self adhesive with hole

red, screwable
red, self adhesive with hole

yellow, screwable

PART NO

15-5420-007

15-5420-017

15-5421-007

15-5421-017

15-5422-007

90 x 40 MM



DESCRIPTION

white, screwable
white, self adhesive
red, screwable
red, self adhesive
yellow, screwable
yellow, self adhesive with hole
yellow, self adhesive

PART NO

15-5430-007
15-5430-017
15-5431-007
15-5431-017
15-5432-007
15-5432-047
15-5432-017

76 x 34 MM



DESCRIPTION

white, self adhesive
yellow, self adhesive

PART NO

15-5434-017
15-5435-017

69 x 31,5 MM



DESCRIPTION

white, self adhesive
red, self adhesive
yellow, self adhesive

PART NO

15-5437-017
15-5438-017
15-5439-017

MOUNTED BRACKET INCLUDED



DESCRIPTION

white, 76 x 34 mm
white, 60 mm

PART NO

15-5434-157
15-4120-017

12V Various





12V VARIOUS LCG

GENERAL ADVICE!

LED lighting draws less current than Incandescent lamps.

This is known to cause problems with certain vehicle bulb failure monitoring systems, across all manufacturers.

The low power consumption of led lamps can lead to a visual error message to the driver.

As monitoring of the direction indicator is a mandatory requirement, we recommend Aspöck LED lamps are always used in conjunction with our LED Control Gear „LCG“ Aspöck cannot accept any liability for incompatibility of the „LCG“ with the non-mandatory functions, these are provided for driver convenience. With the variation of vehicle types available it is impossible for Aspöck to verify every combination.

It is the Driver of the vehicles legal responsibility to check all lighting is operating correctly.

It must also be noted that the maximum current for each function is 3A. Please take care if connecting a vehicle to an „AC source or pulsed DC“ as this will lead to component failure.

No liability will be accepted for the use of „LCG“ with non-approved Vehicles or lamps.

Aspöck accepts no other terms and installation of our products will be deemed as full acceptance of our terms and conditions.

* LCG 7 CHANNEL MONITORING OF: TAIL LIGHT, STOP LIGHT, DIRECTION INDICATOR, REVERSE LAMP AND FOG LIGHT



- patented functioning system
- indicator monitoring ensured
- no failure messages with onboard computers
- completely waterproof light system incl. rear lamp possible

12 VOLT



ATTENTION:
permanent plus required!!!

DESCRIPTION

- 1 x entry, 17 pin ASS3, male
- 1 x exit, 17 pin ASS3, female
- 9 pin (7 light functions + ground + permanent plus)

PART NO
76-5132-007

SPARE PARTS AND ACCESSORIES



DESCRIPTION

- ASS3 17 pin male
- ASS3 17 pin female


PART NO
13-1732-001
13-1722-001

The LED control gear enables the connection of LED rear lamps to tractor units, even if they are equipped with electronic lamp failure detection systems and onboard computers. Additionally, all light functions are monitored so that any malfunctions that may arise are displayed on the onboard computer.

The LCG guard this difference in power and feeds the surplus power via a dedicated permanent power back into the onboard electrical system. No heat sinks are required as the system ensures that only minor power loss occurs.

* please notice the general advice at page 146

SAMPLE OF A WATERPROOF LIGHTING KIT



DESCRIPTION

maincable 2 m

LCG 12 Volt

junction cable 6.7 m
2 x extensions DC 5.3 m
junction cable 9.0 m
2 x extensions DC 6.5 m

MultiLED
(rear light LED)

PART NO


52-2717-007

76-5132-007

68-4899-007

68-4899-017

SAMPLE OF A LED LIGHTING KIT




DESCRIPTION

main cables


PART NO

on page
118 - 122



LCG 3 Channel

on page
149




MultiLED II
(rear lamp LED)

on page
44 - 45

*** LCG 3 CHANNEL MONITORING OF: TAIL LIGHT, STOP LIGHT AND DIRECTION INDICATOR**

12 VOLT



DESCRIPTION

- LCG 3 Channel, with open end
- LCG 3 Channel, 5 pin Bayonet left/right
- LCG 3 Channel, 8 pin Bayonet left
- LCG 3 Channel, 8 pin Bayonet right
- LCG 3 Channel, 7 pin ASS2 left/right
- LCG 3 Channel, 7 pin AMP left/right


PART NO

- 75-0350-007
- 75-0351-007
- 75-0352-007
- 75-0353-007
- 75-0354-007
- 75-0355-007

*** LCG 1 CHANNEL MONITORING OF: DIRECTION INDICATOR**



12 VOLT / 24 VOLT



DESCRIPTION

- input / output open end
- input 5 pin bayonet male / output 5 pin bayonet female
- input 5 pin bayonet male / output 7 pin ASS2 female right
- input 5 pin bayonet male / output 7 pin ASS2 female left
- input 8 pin bayonet male / output 8 pin bayonet female right
- input 8 pin bayonet male / output 8 pin bayonet female left
- input 8 pin bayonet male / output 7 pin ASS2 female right
- input 8 pin bayonet male / output 7 pin ASS2 female left
- input 7 pin ASS2 male / output 7 pin ASS2 female


PART NO

- 75-0314-007
- 75-0315-007
- 75-0322-007
- 75-0323-007
- 75-0317-007
- 75-0318-007
- 75-0319-007
- 75-0320-007
- 75-0321-007

* please notice the general advice at page 146

12V VARIOUS SMARTLINK / VOLTAGE DIVIDER

SMARTLINK



DESCRIPTION

In & Out cable with Amp 7 pin outputs:

- 1x Amp Superseal 4 pin
- 3x Amp Superseal 2 pin

In & Out cable with open end outputs:

- 1x Amp Superseal 4 pin
- 3x Amp Superseal 2 pin

GENERAL DESCRIPTION

- ③ Parking light left + direction indicator right
- ④ Parking light right
- ⑤ Brake
- ⑥ RFS

PART NO

76-9035-017

YOUR BENEFIT!!!

Different wiring feasible on request!

VOLTAGE DIVIDER

24 VOLT TO 12 VOLT



DESCRIPTION

2 x entry + 1 x exit with 8 pin bayonet connector

1 x entry + 1 x exit with open end

PART NO

76-9008-007

76-9009-007

* please notice the general advice at page 146

SIGNAL PLATES

SPARE PARTS AND ACCESSORIES



DESCRIPTION

bayonet connector set
(3 x 8 pin bayonet connector
with 3 x single and 3 x
double grommet)

PART NO



13-0848-034

TECHNICAL FACTS

DESCRIPTION: up to 31V
OUTPUT VOLTAGE: 12V (effective) with input voltage 12V and 24V
OUTPUT: max. per channel 150W if mounted on metal
max. total output 210W if mounted on metal
ASSEMBLY: mounted on metal base
water discharge valve on base with ventilation in direction of travel
PROTECTIVE FUNCTIONS: protected against polarity reversal
short-circuit-proof
autom. voltage detection (only one input for 12V and 24V)

SIGNAL BOARDS AND FOILS RED/WHITE

423 x 423 MM DIN 11030 AND TPESC 5099



DESCRIPTION

sheet metal 1.5 mm galva-
nised, edges flanged, single
sided labeled, for left and
right

sheet metal 1.5 mm galvani-
sed, edges flanged, double
sided labeled, for left and
right

self adhesive foil,
for left and right

PART NO



14-4220-007

14-4220-107

14-4220-207

12V VARIOUS SIGNAL PLATES

423 x 282 MM DIN 6171 AND TPESC 5099



DESCRIPTION

sheet metal 0.8 mm galvanised, single sided labeled, left

sheet metal 0.8 mm galvanised, single sided labeled, right

self adhesive foil, left

self adhesive foil, right

PART NO

14-4220-507

14-4220-557

14-4220-607

14-4220-657

TEST BOX

TRAILER TEST BOX



DESCRIPTION

220V entry voltage, single function - multi function test with 8 pin bayonet connection for cable testing

PART NO

77-9011-007

SPARE PARTS AND ACCESSOIRES



DESCRIPTION

8 pin bayonet connector black, female, single + double grommet

PART NO

13-0828-034

JUNCTION BOX



DESCRIPTION

Junction box with
8 connection without grommet
Junction box with
8 connection + grommet

PART NO

15-5616-507
15-5616-504

SPARE PARTS AND ACCESSOIRES



DESCRIPTION

grommet 1 x round closed
1 x square open
grommet 1 x round open
1 x square closed
grommet 1 x round closed
1 square closed
grommet 1 x round open
8 mm ø

PART NO

15-5097-527
15-5097-517
15-5097-507
15-5097-607

BULBS



DESCRIPTION

bulb 12V / 4W, BA9s
bulb 12V / 5W, BA15s
bulb 12V / 10W, BA15s
bulb 12V / 21W, BA15s
bulb 12V / 21W, BAU15s
orange
bulb 12V / 21/5W, BAY15d
festoon, 12V / 5W, SV8.5-8

PART NO

16-6104-017
16-6105-017
16-6110-017
16-6121-017
16-6121-107
16-6122-017
16-6605-017

12V Connection Diagrams / Attachment





12V CONNECTION DIAGRAMS/ATTACHMENT

CONNECTION DIAGRAMS DIN / ISO

	flasher left	fog lamp	ground *	flasher right	tail light right	stop light	tail light left	reverse lamp	perma- nent power	battery load line	ground for pin 10*	data line	ground for pin 9*
	1	2	3	4	5	6	7	8	9	10	11	12	13
Plug 13-pin. DIN/ISO 11446	yellow	blue	white	green	brown	red	black	grey	brown/ blue	brown/ red	white/red		white/ black
Plug Multicon or System WEST	yellow	blue	white	green	brown	red	black	grey	brown/ blue	brown/ red	white/red		white/ black
	L	54g	31	R	58R	54	58L	1	4	6	7	2	3
Plug 7-pin. DIN/ISO 1724	yellow	blue	white	green	brown	red	black						
Plug 7-pin. DIN/ISO 3732									brown	blue	black		yellow/ green

* The three ground wires may not be electrically connected trailer-laterally.

OTHER CONNECTION DIAGRAMS

	flasher left	fog lamp	ground *	flasher right	tail light right	stop light	tail light left	reverse lamp	perma- nent power	battery load line	ground for pin 10*	data line	ground for pin 9*	current carring
	1	2	3	4	5	6	7	8	9	10	11	12	13	
Bayonet 2-pin. right			white		brown									
Bayonet 2-pin. left			white				black							
Bayonet 8-pin.	yellow	blue	white	green	brown	red	black	grey						
Bayonet 15-pin.	yellow	blue	white	green	brown	red	black	grey	brown/ blue	brown/ red	white/red		white/ black	
ASS II green 7-pin. yellow	yellow	blue	white	green	brown	red	black	grey						
	BL	SO	31	BL	UR	BR	UR							
Bayonet 5-pin. right		grey	white	green	brown	red								
Bayonet 5-pin. left	yellow	blue	white			red	black							
	4	6	1	4	2	5	2	3						
AMP 7-pin. right		blue	white	green	brown	red		grey						
AMP 7-pin. left	yellow	blue	white			red	black	grey						
			1											2/3
ASS3 3-pin.			white											diverse
	1	3	4	2	6	7	5	8	9	16	17		13	
ASS3 17-pin.	yellow	blue	white	green	brown	red	black	grey	brown/ blue	brown/ red	white/red		white/ black	

* The three ground wires may not be electrically connected trailer-laterally.

APPROVAL NUMBERS 12 VOLT

Rear lamps	
Minipoint	E4_10333
MiniLED II	E9_6535
MiniLED III	
Posipoint IV	E24_6144 E24_6145 E24_6146
Agripoint LED	E9_11547
Agripoint Hybrid	E9_11548
AgriLED I	E9_1016
AgriLED II	E9_1121
Braspoint 98	E9_11417
Braspoint 98 horizontal	E9_11418 E9_11875 E9_11874
Braspoint 98 vertical	E9_11419 E9_11873 E9_11872
Braspoint 140	E9_11412 E9_11416 E9_11876 E9_11887
Midipoint I	E9_5173
Midipoint II	E20_0472 E20_0242 E13_1095 E13_1094
Midiled Max	E9_23554
Multipoint I	E9_5099
Multipoint II	E9_1087 E9_1071
Multipoint III	E4_10661
Multipoint IV	E4_11030
Multipoint V	E9_5946
Multipoint V LED	E9_5946
MultiLED II	E23_6110
MultiLED III	E9_23441
Eurofab	E9_1211
Earpoint I	E9_1057
MultiLED IV	E9_1364
Earpoint III	E4_10434
Earpoint IV	E4_13368
Earpoint LED	E24_6111
Roundpoint	E4_61032 E4_23341 E4_7780 E4_7779
Roundpoint II	E9_11515
Roundpoint II LED	E9_11516
Linepoint I	E24_6109
Linepoint II	E9_11442 E9_11443 E9_11441
3-Chamber lamp	E9_5520
3-Chamber lamp LED	E9_6556 E9_1139 E4_13392 E9_1490 E9_5595
Europoint I	E9_5167 E2_7078
Europoint II	E9_5497 E13_1787
Europoint III	E9_6984 E9_6985

Ecopoint with triangle	E9_5266
Ecopoint II	E9_1853
EcoLED II	E9_22480

Position lamps	
Flexipoint I white	E9_5332
Flexipoint LED white	E24_0070 E24_0027
Flexipoint III white	E4_12287 E13_0484 E13_9592
Sidepoint white	E4_7720 E4_3236
Squarepoint white with reflector	E4_7721
Squarepoint white without reflector	E4_7721
Flatpoint II white LED	E9_5499
Posipoint II white LED	E9_5593
Monopoint II white slim LED	E9_5594
Flatpoint II red LED	E9_5499
Flexipoint I red	E9_5332
Flexipoint LED red	E24_0070 E24_0027
Flexipoint III red	E4_12288
Squarepoint red with reflector	E4_7720 E4_3236
Squarepoint red without reflector	E4_7721
Posipoint II red LED	E9_5593
Monopoint II red slim LED	E9_5594

Side marker lamps	
Flexipoint I	E9_5332
Flexipoint LED	E24_0005 E24_0027
Flexipoint III	E4_12289
Squarepoint yellow	E4_7720 E4_3236 E4_7721
Sidepoint yellow with reflector	E13_9592
Flatpoint I LED	E24_6094
Flatpoint II LED	E9_5499
Flatpoint III LED	E9_5581

Number plate lamps	
Regpoint	E9_4059 E9_4127
Regpoint LED	E9_4133
Regpoint II LED	E4_4352
Regpoint small	E20_9944
Regpoint small LED	E9_1983
Regpoint Built-in	E9_22112
Number plate bracket	E24_0004
Number plate pad include 2 x NPL LED	E9_1558

Endoutline marker lamps	
Flexipoint I red / white	E9_5332
Flexipoint LED red / white	E24_0021
Flexipoint II red / white	E4_7774
Flexipoint II LED red / white	E24_0151
Squarepoint red / white	E4_7722
Superpoint II	E9_5315
Superpoint III LED	E9_1469
Superpoint IV LED	E9_6878

Fog lamps	
Fog lamp 140 mm LED	E4_4052 E9_1490

Fog lamp 140 mm	E9_5520
Fogpoint	E20_0234
Fog - Roundpoint	E4_3989
Roundpoint II	E9_11515
Roundpoint II LED	E9_11516
Linepoint I	E24_6109
Linepoint II	E9_11442 E9_11443
MiniLED fog-reverse lamp	E9_6531
MiniLED fog lamp	E9_6532
Braspoint 98 horizontal	E9_11418
Braspoint 98 vertical	E9_11419
Braspoint 140	E9_11416

Reverse lamps	
Braspoint 98 horizontal	E9_11418
Braspoint 98 vertical	E9_11419
Braspoint 140	E9_11416
MiniLED II reverse lamp	E9_6530
reverse lamp	E9_4013
reverse lamp LED oval	E9_6989
reverse lamp 140 mm	E9_5520
reverse lamp 140 mm LED	E9_1490 E9_1139
RFS - Roundpoint	E4_23341
Roundpoint II	E9_11515
Roundpoint II LED	E9_11516
Linepoint I	E24_6109
Linepoint II	E9_11442 E9_11443
reverse-working lamp	E9_4013 E9_4014
Workpoint LED 650	E13_12435
Workpoint LED 800	E13_12438
Workpoint II 1000	E24_0005
Workpoint II 1500	E24_0002
Workpoint II 3000	E24_0002
FlashLED	E24_6521

3rd Stop lamps	
3rd stop lamp „LED“	E9_4075
FlexLED CHMSL	—
3rd stop lamp „LED“ self adhesive	E9_1465
3rd stop lamp „LED“ with Registration Plate	E9_4075
Linepoint I	E24_0145

Direction Indicator	
direction indicator - Roundpoint	E4_61032
Roundpoint II	E9_11515
Roundpoint II LED	E9_11516
Linepoint I	E24_6109
Linepoint II	E9_11441 E9_11443

Interior Lamps	
Inpoint III LED without switch	E9_1439 E9_1440
Inpoint III LED with switch	E9_1439 E9_1440
Inpoint III LED with motion sensor	E9_1439 E9_1440
Innenleuchte LED	—
Interior Lamp LED round	E24_0976
Tubeptpoint	E24_2384

THE ART OF LIGHTS

Aspöck Systems GmbH

Enzing 4 | 4722 Peuerbach | AUSTRIA

Phone.: +43 72 76 / 26 70-0

E-Mail: office@aspoeck.com | www.aspoeck.com



Part N. 10-0360-107
ASP_12V_EN_17082022
Printing errors; technical changes
as well as picture changes reserved.
© Aspöck Systems GmbH

GREAT BRITAIN, IRELAND

Aspöck UK Ltd.
Unit 19, Stansted Distribution Centre
Great Hallingbury
Bishops Stortford, Herts
GB-CM22 7DG
Tel.: +44 1279 655 220
Fax: +44 1279 505 869
E-Mail: sales@aspoeck.co.uk
www.aspoeck.co.uk

FRANCE, LUXEMBOURG ALGERIA, MOROCCO, TUNISIA

Aspöck France S.A.S.
ZAG Bel Air
260 Rue des Vergers
F-69480 Pommiers
Tel.: +33 437 5508 65
Fax: +33 437 5508 97
E-Mail: office@aspoeck.fr

SPAIN, PORTUGAL

Aspöck Iberica
Via Sergia, 32 Nave N° 2
Poligono Industrial
"Les Hortes del Cami Ral"
E-08302 Mataro (Barcelona)
Tel.: +34 937 598 039
Fax: +34 937 501 033
E-Mail: aspock@aspock.com
www.aspock.com

SWEDEN, FINLAND, NORWAY, DEN- MARK, ESTONIA

Aspöck Norden AB
Honungsgatan 4
SE-432 40 Varberg
Tel.: +46 340 483 870
Fax: +46 340 483 879
E-Mail: info@aspoeck-norden.se

ITALY

PAGG Aspöck srl
Via Legnano, 8
I-20835 Muggiò (MB)
Tel.: +39 039 278 5255
Fax: +39 039 278 9582
E-Mail: info@aspoeck.it

BRAZIL

Aspöck do Brasil Ltda.
Estrada RS 122 km 88,5 S/N
Bairro São Gotardo
Flores da Cunha-RS
CEP 95270-000
Tel.: +55 54 3039-5400
E-Mail: contato@aspock.com.br

POLAND, LITHUANIA, LATVIA, UKRAINE

Aspöck Systems Polska Sp.z.o.o.
ul. Byczyńska 10
46-320 Praszka
Tel.: +48 34 3430 600
Fax: +48 34 3430 609
E-Mail: office.poland@aspoeck.com

TÜRKIYE, MIDDLE EAST

Aspöck Aydınlatma Sistemleri Tic. Ltd.
Feneryolu Mah. Yıldırım Sok.
No 20/B P.K: 34724
Kadıköy / İstanbul
Türkei
Tel.: +90 (0) 216 5105400-3 lines

GERMANY

Suer GmbH & Co KG
Handelsstraße 5
D-42929 Wermelskirchen
Tel.: +49 2196 946 0
Fax: +49 2196 946 100
E-Mail: info@suer.de

GERMANY

Hofmeister & Meincke
Carsten-Dressler-Straße 6
D-28279 Bremen
Tel.: +49 421 8405 296
Fax: +49 421 8405 201
E-Mail: bremen@hofmei.de

AUSTRIA, HUNGARY, CROATIA, CZECH REPUBLIC

Ing. A. F. Baeder Ges.m.b.H.
Kolpingstraße 13
A-1230 Vienna
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

AUSTRIA (12V ONLY)

Knott Handelsges.m.b.H.
Rennweg 79-81
A-1030 Vienna
Tel.: +43 1 714 22 22
Fax: +43 1 714 22 33
E-Mail: info@knott.at

SWITZERLAND

Südo AG für Lastwagenzubehöre
Müslistrasse 43
CH-8957 Spreitenbach
Tel.: +41 41 348 04 80
Fax: +41 41 340 31 79
E-Mail: info@agl.ch

NETHERLANDS, BELGIUM

Frits Dijk International
Collse Heide 64
NL-5674 VN Nuenen
Tel.: +31 40 2831815
Fax: +31 40 2838717
E-Mail: info@fritsdijk.nl

SERBIA, ROMANIA, BULGARIA, SLOVAKIA

Ing. A. F. Baeder Ges.m.b.H.
Kolpingstraße 13
A-1230 Wien
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

MONTENEGRO, SLOVENIA, BOSNIA AND HERZEGOVINA

Ing. A. F. Baeder Ges.m.b.H.
Kolpingstraße 13
A-1230 Vienna
Tel.: +43 1 865 16 40
Fax: +43 1 869 22 12
E-Mail: sales@baeder-automotive.com

ISRAEL

M.N. Systems
Pier St., Industrial Park Emek 10
Hefer, IL-3877701
P.O.B 12186
Tel.: +97 24 6220 111
Fax: +97 24 6220 808
E-Mail: info@mnsys.co.il

EAST ASIA

JM Company
312-15, Jaedurumi-gil
Paju-si, Gyeonggi-do
10863, S. Korea
Tel.: +82 31 944 7670
Fax: +82 31 947 7671

RUSSIA, KYRGYZSTAN, MONGOLIA, BELARUS, KAZAKHSTAN

STAT Ltd
RUS, 125464, Moscow region,
Volokolamskoe Highway
House 142
Pom. I, Room 35, Office 535
Tel.: +7 (495) 739-03-47
E-mail: info@stat-parts.ru
www.stat-parts.ru

SOUTH AFRICA, BOTSWANA, LESOTHO, NAMIBIA, ZIMBABWE, SWAZILAND

Trail-Link South Africa
699 Seccull Avenue
0084 Mayville, Pretoria
P.O.B. 880
Tel.: +27 12 335 7402
E-Mail: sales@trail-link.co.za

USA

Aspöck UK Ltd.
Unit 19, Stansted Distribution Centre
Great Hallingbury
Bishops Stortford, Herts
CM22 7DG
Tel.: +44 1279 655 220
E-Mail: sales@aspoeck.co.uk